

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

INSTRUCTIONS: Contractors are to review the list below, sorted by manufacturer and product name to identify their hazardous materials and adhere to the corresponding status. To search for a chemical using Adobe Reader or Professional, click on the edit tool and click on search. Type in the manufacturer name and/or chemical name.

https://oasis.northgrum.com/st/docs/SP_CONTRACTORS_LIST.pdf

For hazardous material(s) not on this list, or with a restricted status, the contractor must:

- 1) Submit a Northrop Grumman Contractor Hazardous Material Request Form (K0-F038) with the most current material Safety Data Sheet (SDS) to the Northrop Grumman Facilities Project Engineer (FPE) for Environmental, Health and Safety (EHS) review.
- 2) Receive notification by the Northrop Grumman Facilities Project Engineer of the status prior to bringing any hazardous material on site.
- 3) The contractor is responsible for using materials in a manner consistent with the specified status/restrictions.
- 4) Ensure the SDS is readily available to the users at all times on the job and
- 5) Place the NG Supplier Hazardous Material label (blue/white sticker) on the container indicating the contractor name and the Chemical Review Process number (CRP#).

Contractors not following the above requirements are subject to a project halt by a Northrop Grumman representative.

Unless otherwise noted, chemicals approved or approved with restrictions at Space Park are limited to a maximum of 100 pounds. Quantities in excess of 100 pounds will require resubmittal of Contractor Hazardous Material Request Form (K0-F038) and most current SDS for ESH review.

Contractors must comply with their Hazard Communication program, wear appropriate personal protective equipment (PPE) as specified in the SDS and use the product in an area with adequate ventilation (away from ventilation intakes if used outdoors) to control Northrop Grumman employees exposure. **Questions? Call your FPE.**

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|------|--|--|
| 302 | SHELL S1111 ISOPROPYL ALCOHOL IPA (USE CRP 25098) | Approved for use at Space Park |
| 352 | LINDE PRAXAIR P-4564 ARGON REFRIGERATED LIQUID | Approved for outdoor use. Restricted to 5 cf indoors due to oxygen displacement in a poorly ventilated area. Any other use must be submitted for review on a case by case basis. |
| 417 | SUNSHINE 13000 SIMPLE GREEN ALL-PURPOSE CLEANER (COMMERCIAL) | Approved for use at Space Park. |
| 516 | AIR LIQUIDE OXYGEN USP AVIATORS BREATHING OXYGEN (ABO) | DENIED FOR USE AT SPACE PARK |
| 555 | DUPONT MOLYKOTE 111 COMPOUND LUBRICANT | Approved for use at Space Park. |
| 589 | ADHESIVE VINYL WALL SHUR-STIK #111 | Approved for use at Space Park |
| 693 | THOMAS AND BETTS KOPR-SHIELD LUBRICANT | APPROVED FOR USE AT SPACE PARK |
| 1261 | RECTORSEAL NOKORODE REGULAR SOLDERING PASTE FLUX | Approved for outdoor use or indoor use with adequate fume capturing equipment. Ensure eye wash station is onsite. |
| 1376 | CABOT CAB-O-SIL M-5 UNTREATED FUMED SILICA | Approved at Space Park. |
| 1759 | IPS WELD-ON P-70 LOW VOC PRIMER PVC AND CPVC PLASTIC PIPE | Limited to 2 quarts stored outdoors and for exterior use only. Any other use must be reviewed on a case by case basis. |
| 1761 | IPS WELD-ON 717 LOW VOC CEMENT FOR PVC PLASTIC PIPE | Approved for use at Space Park. |
| 1815 | AIR LIQUIDE ACETYLENE | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 1953 | RIVERSIDE CEMENT PORTLAND CEMENT | Approved for use when mixed outdoors at Space Park |
| 2054 | AIRGAS 001040 NITROGEN GAS | Approved for use at Space Park. |
| 2063 | AXSON WHITE PEROXIDE CREAM HARDENER 50% | ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 2073 | HENKEL LOCTITE EA 956 AERO ADHESIVE PART A/B 100:58 W | Approved for use at Space Park. Ensure eye wash and washing facility within 10 seconds of use. |
| 2131 | CITGO MYSTIK JT-6 HI-TEMP GREASE NGLI NO 2 | Approve for use at Space Park. |
| 2144 | SWAGELOK SNOOP LEAK DETECTOR | Approved for use at Space Park. |
| 2152 | EXXON MOBIL MOBILGREASE 28 | APPROVED FOR SPACE PARK USE |
| 2514 | CLOXOX PINE-SOL BRAND CLEANER 1 | Approved for use at Space Park |
| 2564 | EW SMITH BIO BLU CLEANER AND DEGREASER | Approved for use at Space Park. |
| 2745 | OWENS CORNING HEAVY DENSITY PIPE INSULATION (FIBERGLASS) | Extent of cutting will need to be submitted for review on a case by case basis. |
| 3232 | DUPONT OUST XP HERBICIDE | Facilities - Landscape Space Park and El Segundo |
| 3239 | ERGON ASPHALT SS-1H ASPHALT EMULSION | Restricted to outdoor use. |
| 3256 | 3M FIRE BARRIER MOLDABLE PUTTY PADS | Approved for use at Space Park. Ensure eye wash in the area of work. |
| 3275 | 3M VIKING (TM) NEGATIVE DEVELOPER | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 3297 | 3M 8850 DYNAMARK BRAND DEVELOPER | APPROVED FOR USE AT SPACE PARK |
| 3308 | RELTON NEW RAPID TAP CUTTING FLUID | APPROVED FOR USE AT SPACE PARK |
| 3521 | WD-40 MULTI-USE LUBRICANT AEROSOL | Approved for use at Space Park |
| 3525 | 3M PR-500 MOLDING RESIN | APPROVED FOR USE AT SPACE PARK |
| 3560 | LINCOLN ELECTRIC INNERSHIELD NR-211-MP ELECTRODE | Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 3618 | HENKEL 19269 LOCTITE SF 7649 PRIMER (LOCTITE PRIMER N) | Approved for outdoor use. Restricted to 1 gallon indoors due to extreme flammability |
| 3620 | 3M 6064 OR 6065 SPRAY-MOUNT ARTIST ADHESIVE PSU | Approved with restrictions. 16 ounces indoors only. |
| 3737 | HONEYWELL GENETRON 22 CHLORODIFLUOROMETHANE | Approved for use at Space Park |
| 3795 | IPS WELD-ON 505 KEY-TITE LOW VOC PIPE JOINT COMPOUND | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|------|--|---|
| 3828 | MOMENTIVE RTV106 SILICONE SEALANT RED | Approved for use at Space Park. |
| 3868 | SPECTRUM ACETONE | Restricted to one gallon at any time. |
| 3932 | IDEAL INDUSTRIES YELLOW 77 PRO WIRE PULLING LUBRICANT | APPROVED FOR USE AT SPACE PARK |
| 3939 | 3M HI-STRENGTH 90 SPRAY ADHESIVE AEROSOL | Approved for Space Park & Palmdale |
| 3954 | H.B. FULLER FOSTER 40-20 FUNGICIDAL PROTECTIVE COATING | Approved for use at Space Park. |
| 3996 | HERCULES CHEMICAL 7375E HERCULES PROPOXY 20 | Approved for use at Space Park |
| 4165 | RECKITT LYSOL DISINFECTANT SPRAY ALL SCENTS AEROSOL | Approved for use at Space Park. |
| 4230 | LPS 40312 TAPMATIC #1 GOLD CUTTING FLUID AEROSOL | Approved for use at Space Park. |
| 4284 | HAMILTON ALL PURPOSE JOINT COMPOUND | Approved for use at Space Park & Palmdale |
| 4348 | SERVICEMASTER (ECCOLAB) WALLGLIDE PLUS AP CLEANER | Approved for use at Space Park. |
| 4349 | SERVICEMASTER FLOORSTAR DUOCLENE | Approved for use at Space Park. |
| 4358 | TRANE OIL00022 TRANE OIL 22 | Approved for use at Space Park. |
| 4422 | DUPONT FREON 22 | Approved for use at Space Park. |
| 4428 | LA-CO MARKAL SLIC-TITE PASTE WITH PTFE | APPROVED FOR USE AT SPACE PARK |
| 4431 | LUCAS MILHAUPT HANDY FLUX TYPE B-1 (USE CRP 7407) | Approved for outdoor or indoors off hour use only. Any other use must be reviewed on a case by case basis. |
| 4437 | PERGAN (WITCO) HIGH POINT 90 CATALYST | Approved for use at Space Park. |
| 4522 | RECKITT BRASSO MULTIPURPOSE METAL POLISH | Approved for use at Space Park. |
| 4669 | AD-TECH GLUE STICK | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 4682 | AMERICAN WELDING WELD WIRE MILD STEEL 646(ER70S-2) | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 4683 | AMERICAN WELDING WELD WIRE SILICONE BRNZ THW-03SIB301 | Any use must be submitted on a case by case basis |
| 4718 | IPS WELD-ON 711 LOW VOC PVC PLASTIC PIPE CEMENT GRAY | Palmdale: Approved for outdoor use. |
| 4728 | AMERICAN SAFETY AS-550 ANTI-SLIP COATING BASE/CAT 14:1 W | Any use must be submitted for review on a case by case basis |
| 4791 | FOSTER 802284PM 32-22 ENCAPSULANT | APPROVED FOR USE AT SPACE PARK. |
| 4845 | JET-LUBE KOPR-KOTE LUBRICANT | Approved for use at Space Park. |
| 4848 | HERCULES STAPUT PLUMBERS PUTTY | Approved for use at Space Park. |
| 4850 | T CHRISTYS RED HOT BLUE GLUE PVC PLASTIC PIPE CEMENT LOW VOC | Restricted to one quart indoors no restriction outdoors and ensure eye wash station in work area. Ensure eye wash in the area of use. |
| 4899 | SIKA SIKAFLEX 221 POLYURETHANE ADHESIVE | Restricted to outdoor use only and away from ventilation intakes and roof openings. Any other use must be reviewed on a case by case basis. |
| 4992 | TREMCO VULKEM 171 271171 817 PRIMER | ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS. |
| 5029 | RECTORSEAL NO 5 PIPE THREAD SEALING COMPOUND | Approved for use at Space Park. |
| 5031 | DAP 18001/18002/18013 KWIK SEAL TUB AND TILE ADHESIVE CAULK | Approved for use at Space Park. |
| 5210 | DUMOND PEEL AWAY 7 SOLVENT BASED PAINT REMOVER | Approved for use at Space Park. |
| 5270 | FIBERLOCK FIBERSET PM | APPROVED FOR USE AT SPACE PARK |
| 5271 | SENTINEL CHEMICAL 747 MASTIC REMOVER | Approved for use at Space Park. |
| 5643 | AIRGAS 001001 ACETYLENE GAS | Space Park Site - ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 5895 | IDEAL INDUSTRIES NOALOX ANTI OXIDANT | APPROVED FOR CONTRACTOR USE USE AT SPACE PARK |
| 5955 | DESIGN POLYMERICS DP 1020 DUCT SEALANT | APPROVED FOR USE AT SPACE PARK |
| 6143 | ANCHOR ANCHORLUBE G-771 METALWORKING (USE CRP 3356) | Approved for use at Space Park |
| 6165 | SHERWIN-WILLIAMS B66A50 DTM BONDING PRIMER OFF-WHITE | Approved for use at Space Park. |
| 6356 | DUNN-EDWARDS W704 ACRY-FLAT | APPROVED FOR USE AT SPACE PARK |
| 7194 | EASTMAN (BP) TURBO OIL 2389 AVIATION LUBRICANT | APPROVED FOR USE AT SPACE PARK |
| 7417 | HARRIS STAY-SILV BRAZING FLUX | Approved for use at Space Park. |
| 7433 | HERCULES 44 CHEMICAL DARK CUTTING OIL | DENIED FOR USE AT SPACE PARK |
| 7564 | LA-CO MARKAL SLIC-TITE TEFLON THREAD SEALING COMPOUND | APPROVED FOR USE AT SPACE PARK |
| 7825 | PPG 42-7 SPEEDHIDE INTERIOR LATEX FIRE RETARDANT PAINT | Approved for use at Space Park. |
| 7876 | AA READY MIX CEMENT CONCRETE | Outdoor use or limited to 4 cubic yards indoors with adequate ventilation due to chronic toxicity. Ensure eyewash shower in location of work. |
| 7879 | PROCTER AND GAMBLE COMET CLEANSER | Approved for use at Space Park. An eye wash station must be within 10 seconds of use. |
| 8083 | ADVANCED COMPOSITES ACG XLVR16 B DICARBOXYLIC ANHYDRIDE | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 8258 | FRAZEE 0220001 PAINT LO GLO INTERIOR ACTYLIC EGGSHELL WHITE | DENIED FOR USE AT SPACE PARK |
| 8290 | CASTROL 461640-US03 BRAYCOTE MICRONIC 601 EF LUBRICANT | Approved for use at Space Park. |
| 8311 | HONEYWELL (ALLIED SIGNAL) GENETRON 404A | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 8337 | AIRTECH GS-43MR VACUUM BAG SEALANT TAPE | Space Park Contractors |
| 8343 | GRACE Z-01785 (Z-01444) MONOKOTE ACCELERATOR | Approved with restriction of an eye wash/shower station in the immediate area of work. |
| 8413 | STABOND U-148A CONTACT ADHESIVE | Approved for use at Space Park |
| 8497 | CYTEC (ADVANCED COMPOSITES) LTM16 PREIMPREGNATED EPOXY RESIN | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 8508 | LINCOLN EXCALIBUR E7018 COVERED ELECTRODE | Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 8539 | MAINTEX 1133 KWIKSTRIP FLOOR FINISH STRIPPER | Restricted 1:5 dilution requirement. Ensure eye wash is within 10 seconds of product use. |
| 8548 | MAINTEX ACT SEALER | APPROVED FOR USE AT SPACE PARK |
| 8550 | MAINTEX 1132 POLYSTRIIP HEAVY DUTY FLOOR FINISH STRIPPER | Restricted to 1:5 dilution. Ensure eye wash station within 10 seconds of use. |
| 8559 | MAINTEX 1130 LIME GO HEAVY DUTY LIME AND RUST REMOVER | Approved for use at Space Park contingent on eye wash station within 10 seconds of use of the product. |
| 8566 | MAINTEX 1227 DECATHLON ACRYLIC POLYETHYLENE FLOOR FINISH | Approved for use for Space Park |
| 8567 | MAINTEX 145404 CITRA-CIDE NEUTRAL DISINFECTANT CLEANER | Approve for use at Space Park. |
| 8575 | MAINTEX 1410 FRESH AND CLEAN RESTROOM CLEANER | Approved for use at Space Park contingent on eye wash within 10 seconds of product use. |
| 8617 | SERVICEMASTER FIBERFRESH ULTRACLEAN EXTRACTION CLEANER | Approved for use at Space Park |
| 8712 | ECOLAB LIME-A-WAY (DELIMER) | Approved for Space Park - ensure eye wash or shower is in are of use. |
| 8912 | NU-CALGON 4291 NU-BRITE COIL CLEANER | Approved for use at Space Park. |
| 8944 | LINDE (PRAXAIR) P-4559 ACETYLENE | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS. |
| 8996 | HERCULES CHEMICAL CLEAR CUTTING OIL | Approved for use at Space Park. |
| 9003 | HENKEL LOCTITE 515 GASKET MAKER ADHESIVE | Approved for use at Space Park. |
| 9013 | OLD WORLD (SAFE BRANDS) S101LSGP SIERRA ANTIFREEZE COOLANT | APPROVED FOR USE AT SPACE PARK. |
| 9024 | AIRGAS 001013 CARBON DIOXIDE GAS | APPROVED FOR SPACE PARK USE |
| 9025 | AIRGAS 001043 OXYGEN GAS | Space Park Site - Approve 10 cubic feet at any time. Ensure eyewash shower in area of use. Any other use must be submitted for review on a case by case basis. |
| 9026 | AIRGAS 001188 NITROGEN REFRIGERATED LIQUID | Approved for outdoor use. Restricted to 5 cf indoors. Any other use must be submitted for review on a case by case basis. |
| 9060 | VICTOR EQUIPMENT MAPP GAS 0916-0009 | RESTRICTED TO ONE 16 OUNCE BOTTLE. ANY ONTHER USE WILL REQUIRE REVIEW ON A CASE BY CASE BASIS. |
| 9061 | WISEMAN EVERFLUX WATER SOLUBLE SOLDERING FLUX | APPROVED FOR USE AT SPACE PARK. |
| 9065 | CHEMOURS (DUPONT) FREON 123 (R-123) REFRIGERANT | Approved for use at Space Park |
| 9080 | 3M SCOTCH-WELD EPOXY ADHESIVE EC-2216 GRAY B/A 5:7 W | Ensure eye wash station is in work area |
| 9266 | AMPEC WAXIE METAL-BRITE STAINLESS STEEL CLEANER | APPROVED FOR USE AT SPACE PARK |
| 9800 | ADVANCED COMPOSITES HTM512 BMI TOOLING PREPREG | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 9826 | HONEYWELL (ALLIED SIGNAL) GENETRON MP-39 (R-401A) REFRIGER | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 9874 | BAYER 79020090 DELTAGARD G INSECTICIDE GRANULES | Approved for use at Space Park |
| 9877 | WELLMARK ZOECON GENTROL IGR CONCENTRATE | If product is used indoors it must be applied during off-hours. |
| 9879 | AGREVO DRIONE INSECTICIDE | APPROVED FOR USE AT SPACE PARK |
| 9883 | BAYER MAXFORCE FC SELECT INSECT ROACH KILLER BAIT GEL | Approved for use at Space Park |
| 9979 | CHEVRON REGULAR UNLEADED GASOLINE | Approved for use at Space Park |
| 10012 | AIRKEM PROFESSIONAL SCENTS-IT ODOR COUNTERACTANT DISCS | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 10021 | HASA SODIUM HYPOCHLORITE 12.5% SOLUTION | Restricted to one container. Ensure eye wash/shower in the area of use. Reviewed on a case by case basis. |
| 10029 | AQUA-SERV 2362 BOILER TREATMENT | Approved for use at Space Park. |
| 10033 | OCCIDENTAL CHEMICAL OXYCHEM TOWERBROM 90 M TABLET MICROBIOCI | Approved for use at Space Park |
| 10036 | ALL PURE GENERIC BLEACH 5.25% | Limited to 1 gallon indoors and outdoors given corrosivity. Ensure eye station and shower within 10 sec of work area. Any other use must be submitted on a case by case basis. |
| 10110 | WILLIAM ZINSSER 3608 COVER STAIN SPRAY | DENIED FOR USE AT SPACE PARK. |
| 10275 | CTS RAPID SET SUPER FAST SET AND EISEN WALL CEMENT | Approved for for use Space Park. |
| 10276 | SIKA SIKAFLEX 1A (ALL COLORS) POLYURETHANE SEALANT | Space Park Site - Restricted to outdoor use. |
| 10277 | TREMCO VULKEM 116 POLYURETHANE SEALANT IN GRAY | Outdoor use only given respiratory sensitization. Indoor use approved by a case by case basis. |
| 10291 | DESCO STATGUARD STATIC DISSIPATIVE FLOOR FINISH | Denied by Air Quality |
| 10324 | DAP KWIK SEAL PLUS KITCHEN AND BATH CAULK ALL COLORS | Approved for use at Space Park. |
| 10449 | ALLIANT 072850 MONOGRAM LOW FOAM DELIMER | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 10450 | ALLIANT 540179 WATER BASE STAINLESS STEEL CLEANER | APPROVED FOR USE AT SPACE PARK |
| 10457 | RADNOR SG 4043 WELDING WIRE OR ROD | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis |
| 10515 | ADVANTAGE CHEMICAL EPOXY 3 COMP PATCH/TUFF COTE HB 1:1 V | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 10544 | DUMOND DCI-009 PEEL AWAY 1 PAINT STRIPPER | Approved for use at Space Park. |
| 10575 | IDEAL NOALOX ANTIOXIDANT (USE CRP 5895) | Approved for use at Space Park and El Segundo |
| 10649 | STABOND C 148B (X 2649B) FAST DRYING HIGH STRENGTH ADHESIVE | Approved for outdoor use. Restricted to 16 ounces indoors due to extreme flammability. Any other use must be submitted for review on a case by case basis. |
| 10724 | ANDEREROL ROYAL LUBRICANTS ROYCO 868 LUBRICATING OIL | APPROVED FOR USE AT SPACE PARK |
| 10755 | BOSTIK D-740 SERIES MULTI PURPOSE WALL COVER ADHESIVE | APPROVED FOR USE AT SPACE PARK |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 10756 | W.F. TAYLOR 2080 ENVIROTEC THE LEGEND DUAL PURPOSE ADHESIVE | Approved for use at Space Park. |
| 10757 | WF TAYLOR 2033 ENVIROTEC CLEAR THIN SPREAD TILE ADHESIVE | Approved for use at Space Park. |
| 10764 | W.F. TAYLOR 722 LATEX BASED FAST TAC PAD-HESIVE | Approved for use as Space Park. |
| 10822 | IDEAL CLEAR GLIDE WIRE PULLING LUBRICANT (31 SERIES) | APPROVED FOR USE AT SPACE PARK |
| 10831 | CYTEC (ADVANCED COMPOSITES) LTM317-1B PREPREG | Approved for use at Space Park |
| 10832 | ADVANCED COMPOSITES LTM317/ZPREG317 PREPREG W/GLASS | Approved for use at Space Park |
| 10833 | ADVANCED COMPOSITES VTM243/ZPREG243 PREPREG W/CARBON | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 10834 | ADVANCED COMPOSITES VTM243/ZPREG243 PREPREG W/GLASS | Approved for use at Space Park |
| 10835 | ADVANCED COMPOSITES VTM244/ZPREG244 PREPREG W/CARBON | Approved for use at Space Park |
| 10836 | ADVANCED COMPOSITES VTM244/ZPREG244 PREPREG W/GLASS | Approved for use at Space Park |
| 10837 | ADVANCED COMPOSITES VTS243 SYNTACTIC RESIN FILM | Approved for use at Space Park |
| 10846 | ADVANCED COMPOSITES LTM317-1/ZPREG317-1 PREPREG W/CARBON | Approved for use at Space Park |
| 10847 | ADVANCED COMPOSITES LTM317-1/ZPREG317-1 PREPREG W/GLASS | Approved for use at Space Park |
| 10984 | ADTECH PLASTIC EL-315IHL RESIN/HARDENER 100:25 W | APPROVED FOR USE AT SPACE PARK - Ensure eye wash and shower within 10 seconds of use as capable of causing irreversible damage. |
| 10985 | ADTECH PLASTIC EL-315-1 RESIN/HARDENER 100:19 W | Any use must be submitted for review on a case by case basis |
| 10986 | ADTECH PLASTIC EL-315/315-2 RESIN/SLOW HARDENER 100:24 W | APPROVED FOR USE AT SPACE PARK-Ensure eye wash and shower within 10 seconds of use as capable of causing irreversible damage. |
| 11022 | 3M SCOTCH-WELD EC-3501 ADHESIVE B/A 1:1 V GRAY | Approved for use at Space Park. |
| 11047 | ADTECH PLASTIC TCC-605A/B EPOXY RESIN/HARDENER 100:15 W | APPROVED FOR USE AT SPACE PARK |
| 11048 | ADTECH PLASTIC TCC-602/TCC-119 EPOXY RESIN/HARDENER 100:12 W | APPROVED FOR USE AT SPACE PARK - Ensure eye wash and shower within 10 seconds of use as capable of causing irreversible damage. |
| 11049 | 3D SYSTEMS LASERFORM A6 STEEL MATERIAL (LASER SINTERING) | Restricted to 1 pound.indoors given chronic health effects. Prevent dust clouds given explosive potential. Any other use must be submitted for review on a case by case basis. |
| 11051 | ADVANCED COMPOSITES HTM512-1 BISMALIMIDE RESIN PREPREG | APPROVED FOR USE AT SPACE PARK |
| 11061 | ADTECH PLASTIC ES-211 RESIN/HARDENER 100:8.33 W | APPROVED FOR USE AT SPACE PARK |
| 11063 | ADTECH PLASTIC EC-415 RESIN/HARDENER 100:13.42 W | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 11064 | ADTECH PLASTIC EA-605 RESIN/HARDENER 100:13.15 W | APPROVED FOR USE AT SPACE PARK |
| 11099 | AMEREX MODEL 530 WET CHEMICAL CHARGE | APPROVED FOR USE AT SPACE PARK |
| 11131 | W.F. TAYLOR 710 TOUCHDOWN KWIK SEAM LATEX ADHESIVE | Approved for use at Space Park. |
| 11166 | SUBURBAN (CRESTWOOD) COMMERCIAL ODORIZED PROPANE | Restricted to 10 cubic feet at any time on site. Any other amount must be submitted for review on a case by case basis. |
| 11168 | 3D SYSTEMS DURALUM SPEC WHITE POWDER 240 GRIT 7000-02765 | APPROVED FOR USE AT SPACE PARK |
| 11223 | AIR LIQUIDE NON-FLAMMABLE GAS MIXTURE (OXYGEN ISOBUTYLENE) | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 11258 | HENKEL LOCTITE 565 THREAD SEALANT CONTROLLED STRENGTH PST | Approved for use at Space Park. |
| 11266 | ACCESS MARKETING SUPER DUTY SLIME TIRE SEALANT | APPROVED FOR USE AT SPACE PARK |
| 11267 | AGS COMPANY CE-16 CUT-EASE STICK LUBRICANT | Not to be burned indoors. Ensure eye wash and shower if burned outdoors. Any other use will need to be submitted for review on a case by case basis. |
| 11400 | DUNN-EDWARDS W715 ULTRA-GRIP MULTI-PURPOSE PRIMER WHITE | APPROVED FOR USE AT SPACE PARK |
| 11460 | SOLVAY CYTEC LTM 217 EPOXY RESIN PREPREG | APPROVED FOR USE AT SPACE PARK |
| 11609 | SIKA SARNACOL 2121 MEMBRANE ADHESIVE | Approved for use outside and at least 25 feet down wind from ventilation intakes |
| 11646 | ADM/OGILVIE ESTRIP GPX-1695 | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 11658 | ITW POLYMER AS-75/NS-25 ANTI-SLIP COATING (ALL COLORS) | Approved for use at Space Park. |
| 11669 | 3M NOVEC 72DA (HFE-72DA) ENGINEERED FLUID | APPROVED FOR USE AT SPACE PARK |
| 11746 | SEAL BOND (MICHIGAN ADHESIVE) SEAL BOND 95 ADHESIVE | Approved for use at Space Park |
| 11800 | TREMCO 022053 805 TREMPRIME WB PRIMER 5 GAL | APPROVED FOR USE AT SPACE PARK |
| 11865 | TREMCO 360606 805 ELS 5 GL ROOFING CEMENT | APPROVED FOR USE AT SPACE PARK |
| 11917 | EDOCO 1125 SILICATE HARDENER & SEALER | APPROVED FOR USE AT SPACE PARK |
| 11955 | MAINTEX 1615 SUPER JET KLEEN CLEANER/DEGREASER | Approved for use at Space Park contingent of eye wash station within 10 seconds of product use. |
| 12057 | MAINTEX 1432 SHIMMER CONCENTRATED/MULTI-PURPOSE CLEANER | Approved for use at Space Park. |
| 12058 | MAINTEX 1644 PRISTINE CLEANER/DEGREASER | Approved for use at Space Park. |
| 12059 | MAINTEX 1201 TRAILWINDS FLOOR CLEANER | Approved for use at Space Park. |
| 12060 | MAINTEX 1803 GLACIER STREAK FREE GLASS AND SURFACE CLEANER | Approved for use at Space Park. |
| 12112 | MAPEI ULTRA/BOND ECO 575 COVE BASED ADHESIVE | APPROVED FOR USE AT SPACE PARK |
| 12153 | OATEY 1705E OATEY PLUMBERS PUTTY | Approved for use at Space Park. |
| 12380 | AIRGAS 001045 PROPANE GAS | Approved for Space Park Site use |
| 12385 | AIKEN CHEMICAL CARQUEST PURPLE CLEANER | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 12411 | AGS COMPANY DIELECTRIC SILICONE GREASE DS-4 | APPROVED FOR USE AT SPACE PARK |
| 12416 | AIRGAS 002004 ARGON 75%/CARBON DIOXIDE 25% GAS MIXTURE | Approved for outdoor use. Restricted to 5 CF indoors. Any other use must be submitted for review on a case by case basis |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 12448 | EOS OF NORTH AMERICA FINE POLYAMIDE PA 2201 | Approved for Use at Space Park |
| 12531 | AMERICAN ELECTRIC B-3 CONTAX GREASE | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 12582 | AGRICHEM AGRI-FOS SYSTEMIC FUNGICIDE | DENIED FOR USE AT SPACE PARK |
| 12619 | ALPHAMETALS K333-MIL RMA ROSIN FLUX | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 12660 | INGERSOLL-RAND ALL SEASON SELECT LUBRICANT | Approved for use at Space Park |
| 12664 | HAMILTON GREEN DOT TOPPING COMPOUND | Approved for use at Space Park & Palmdale |
| 12677 | 3M 6040/6041 ADHESIVE REMOVER AEROSOL | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 12678 | ARMSTRONG S-750 PREMIUM TILE ADHESIVE | APPROVED FOR USE AT SPACE PARK |
| 12706 | AIRGAS 001004 ARGON GAS | Approved for outdoor use. Restricted to 5 cubic feet indoors due to oxygen displacement in a poorly ventilated area. Any other use must be submitted for review on a case by case basis. |
| 12718 | TENNANT ECO-RCE RAPID CURE EPOXY PART A/B 2:1 V | Approved for use at Space Park. |
| 12722 | ADVANCED CHEMICAL BT-311 BOILER WATER TREATMENT | APPROVED FOR USE AT SPACE PARK. Ensure eye wash and shower within 10 seconds of use. |
| 12724 | ADVANCED CHEMICAL CT-531 COOLING WATER TREATMENT | APPROVED FOR USE AT SPACE PARK |
| 12725 | ADVANCED CHEMICAL CS-405P CLOSED SYSTEM TREATMENT | APPROVED FOR USE AT SPACE PARK |
| 12726 | AMBER CHEMICAL AMBER GUARD 215 WATER TREATMENT | Limited to 1 gallon indoors and outdoors given causes permanent eye damage. Ensure eye station and shower within 10 sec of work area. Any other use must be submitted for review on a case by case basis |
| 12727 | OCCIDENTAL OXYCHEM TOWERCHLOR 56 GRANULES | Approved for use at Space Park. |
| 12733 | STONHARD STONFLEX MP7 PEWTER RESIN/CURING AGENT 2:1 V | Approved for use at Space Park |
| 12735 | STONHARD STONKOTE GS4 STEEL GRAY/PIGMENTED AMINE 1:1:1 V | Any use must be submitted for review on a case by case basis |
| 12756 | VISTA PAINT 9800 SEMI-GLOSS DIRECT TO METAL | APPROVED FOR USE AT SPACE PARK. |
| 12773 | 3M 600 CONCRETE REPAIR A/B 1:1 V | APPROVED FOR USE AT SPACE PARK |
| 12783 | SHERWIN KRYLON 03500 QUIK-MARK WB INV MARKING PAINT | RESTRICTED TO ONE CONTAINER INDOORS AT ANY TIME |
| 12784 | ALFA PRODUCTS 11119 LITHIUM ALUMINATE | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 12823 | SIKA 0132540 SIKALATEX R | Restricted to outdoor use only away from ventilation intakes. Any other use must be submitted for review on a case by case basis. |
| 12838 | VISTA PAINT 6700 TRAFFIC PAINT WHITE | Approved for use at Space Park. |
| 12851 | VISTA PAINT 6800 TRAFFIC PAINT SEMI-GLOSS WHITE | Approved for use at Space Park. |
| 12873 | CONOCO PHILLIPS (76 LUBRICANTS) TURBINE OIL 32 | APPROVED FOR USE AT SPACE PARK |
| 12899 | ABATIX ARM 123 MASTIC REMOVER | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 12932 | VISTA PAINT 1100 HI-BUILD SEALER | APPROVED FOR USE AT SPACE PARK. |
| 12947 | FIBERLOCK 5801 LBC LEAD BARRIER COMPOUND TYPE III | APPROVED FOR USE AT SPACE PARK |
| 12953 | VISTA PAINT DF12 WATERBASE DRY FOG WHITE FLAT PAINT | Approve for use at Space Park |
| 12954 | VISTA PAINT 7000 ACRIGLO S/G BRIGHT WHITE | APPROVED FOR USE AT SPACE PARK |
| 12957 | HILTI HIT-RE 500 V3 HIGH STRENGTH ADHESIVE A/B 1:1 V | APPROVED FOR USE AT SPACE PARK |
| 12996 | AQUA-SERV 8413 CLOSED LOOP TREATMENT | Approved for use at Space Park. |
| 13061 | DAP 18376/18386 FLEXIBLE CLEAR SEALANT | Approved for use at Space Park |
| 13077 | CRC 18412 ZINC-IT INSTANT COLD GALVANIZE AEROSOL | Space Park Site - Limit to one 16 ounce container due to extreme flammability. Any other use will be submitted for review on a case by case basis. |
| 13095 | MILL-ROSE BLUE MONSTER PTFE PIPE THREAD SEALANT | APPROVED FOR USE AT SPACE PARK |
| 13152 | SHERWIN TM2153 HOTLINE FAST DRY WB TRAFFIC PAINT YELLOW | Approved for outdoor use. |
| 13211 | RECTORSEAL 93111 PREMIUM THREAD CUTTING OILS LIGHT OR DARK | Approved for use at Space Park. |
| 13220 | RUST-OLEUM 238752 SIE S37 METALMAX SEMI-GLOSS WHITE | APPROVED FOR USE AT SPACE PARK PALMDALE AND EL SEGUNDO - JNR |
| 13473 | MATHESON MAT04600 CHLORINE GAS | Restricted to outdoor use only. |
| 13788 | LUCAS MILHAUPT HANDY FLUX AND HANDY FLUX SLS | Approved for outdoor or indoors off hour use only. Any other use must be reviewed on a case by case basis. |
| 14087 | AIRGAS 002015 MAPP GAS | Restricted to one 2-cu. ft. working cylinder due to extreme flammability. Use requires a valid hotwork permit. Any other use must be submitted for review on a case by case basis. |
| 14220 | AIR PRODUCTS OXYGEN GAS | Restricted to 250 cu. ft. as it enhances flammability of other chemicals. Strong oxidizer use with Acetylene requires a valid hotwork permit. Any other use must be submitted for review on a case by case basis. |
| 15407 | DAP DYNAFLEX 230 CAULK SEALANT (ALL COLORS) | Approved for use at Space Park. |
| 15727 | FLO-KEM FLO-ZYME ENZYME ODOR CONTROL | Approved for use at Space Park. |
| 15750 | HARRIS BRIDGIT LEAD FREE SOLDER | Approved for use at Space Park. Ensure adequate eye wash shower in area. |
| 15844 | MICRONOVA NOVA CLEAN LAB AND GLASS CLEANER | Ensure contractor complies with their hazard communication program wear PPE in accordance with MSDS and ensure adequate ventilation so as not to expose NG employees. |
| 15845 | MICRONOVA NOVACLEAN DETERGENT CLEANER | Approved for Use at Space Park |
| 16250 | 3M 16-6324-4 SCOTCH-WELD NITRILE INDUSTRIAL ADHESIVE 4491 | DENIED FOR USE AT SPACE PARK |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|---|---|
| 16274 | MAINTEX 1297 GRIP SPRAY BUFF/RESTORER | Restricted to 1:1 dilution. |
| 16275 | MAINTEX 1622 EXCALIBUR METAL POLISH | Approved for use at Space Park |
| 16320 | KANO AEROKROIL PENETRATING OIL PSU | Restricted to one 18 ounce container. Any other quantity of use must be submitted for review on a case by case basis. |
| 16328 | CHEVRON CPS233703 SOLUBLE OIL B | APPROVED FOR USE AT SPACE PARK. |
| 16330 | SHAW 5000 PRESSURE SENSITIVE ADHESIVE | APPROVED FOR USE AT SPACE PARK |
| 16331 | TARKETT JOHNSONITE 965 FLOOR AND TREAD ADHESIVE | Approved for Space Park Use |
| 16337 | TREMCO 876101 309 TREMSEAL D 30/CS SEALANT | Approved for use at Space Park. |
| 16363 | TREMCO SP PRIMER | APPROVED FOR USE AT SPACE PARK. |
| 16372 | TREMCO 346102 805 POLARCOTE FR WHITE 5 US GAL | Approved for use at Space Park. |
| 16374 | ICI 3210-1200 AQUACRYLIC GRIPPER ALL PURP STAIN KILLER | APPROVED FOR USE AT SPACE PARK |
| 16375 | ICI TRUGLAZE WB 4426 EPOXY | APPROVED FOR USE AT SPACE PARK |
| 16379 | WESTERN COLLOID 800 ELASTIC CEMENT | APPROVED FOR USE AT SPACE PARK. |
| 16383 | PPG AMV-81/AM-B AMERSHIELD VOC RES/CURE 4:1 V SAFETY YELLOW | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16388 | ZEP COMMERCIAL ZUNRS NO-RINSE FLOOR DISINFECTANT | APPROVED FOR USE AT SPACE PARK |
| 16391 | FYFE TYFO-SA00-02 TYFO S COMPONENT A/B 1:1 V | APPROVED FOR USE AT SPACE PARK |
| 16392 | FYFE TYFO-WSA00-02 WS800-02 TYFO WS COMPONENT A/B 1:1 V | APPROVED FOR USE AT SPACE PARK |
| 16393 | FYFE TYFO SCH-41 | APPROVED FOR USE AT SPACE PARK |
| 16394 | FYFE TYFO A PAINT | APPROVED FOR USE AT SPACE PARK |
| 16395 | RUST-OLEUM 2000 ZINSSER BULLSEYE 1-2-3 WB PRIMER WHITE | APPROVED FOR USE AT SPACE PARK |
| 16410 | STONHARD 01333/A AND B STANDARD PRIMER AMINE/RESIN 1:1 V | APPROVED FOR USE AT SPACE PARK |
| 16413 | SHERWIN A6W151 A-100 ACRYLIC LATEX PAINT FLAT EXTRA WHITE | APPROVED FOR USE AT SPACE PARK |
| 16414 | STONHARD STONKOTE HT4 RESIN/PIGMENTED CURING AGENT 1:1 V | APPROVED FOR USE AT SPACE PARK |
| 16422 | STONHARD STONECLAD G5 RESIN A/B/C | APPROVED FOR USE AT SPACE PARK |
| 16431 | TREMCO 86700A512 WALLTITE-WHITE 5USGAL | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16432 | TREMCO 346305 805 TREMLITE RUST PRIMER WB-GRAY | APPROVED FOR USE AT SPACE PARK |
| 16433 | SHERWIN B42W111 METALATEX S-G ACRYLIC COATING EXTRA WHITE | APPROVED FOR USE AT SPACE PARK. |
| 16434 | SENTINEL 747 FRESH SCENT MASTIC REMOVER | APPROVED FOR USE AT SPACE PARK. |
| 16462 | UNITED STATES GYPSUM USG SHEETROCK BRAND GYPSUM PANELS | APPROVED FOR USE AT SPACE PARK. |
| 16463 | WESTPAC READY-MIX JOINT COMPOUNDS (CONTRACTOR) | Approved for use at Space Park. |
| 16464 | WESTPAC WALL TEXTURES (CONTRACTOR) | APPROVED FOR USE AT SPACE PARK. |
| 16465 | SHERWIN HI-SOLIDS POLYURETHANE 100 PART A/B 1:1 V | Any use must be reviewed on a case by case basis |
| 16487 | RUST-OLEUM 540 1-GL EPOXY CLASSIC GRAY BASE/ACT 1:1 V | APPROVED FOR USE AT SPACE PARK |
| 16492 | WESTPAC FAST SET 5 LITE SETTING COMPOUND | APPROVED FOR USE AT SPACE PARK |
| 16500 | SHERWIN 564R506 SHER-WOOD WIPING STAIN CHERRY | DENIED FOR USE AT SPACE PARK |
| 16501 | RUST-OLEUM 200031 VARATHANE GLOSS CRYSTAL CLEAR | APPROVED FOR USE AT SPACE PARK |
| 16504 | CLAUSEN DUAL CARPET CLEANER | Approved for use at Space Park contingent on a eye wash station within 10 seconds of use of the product. |
| 16509 | VISTA PAINT 1700 W.B.LOW SHEEN WHITE-P | APPROVED FOR USE AT SPACE PARK. |
| 16510 | VISTA PAINT 3600 MAINTENANCE FLAT WHITE | APPROVED FOR USE AT SPACE PARK. |
| 16520 | ARDEX ENGINEERED CEMENTS ARDEX CP | APPROVED FOR USE AT SPACE PARK |
| 16521 | SUPREME CHEMICAL KRUD KUTTER METAL CLEAN & ETCH | APPROVED FOR USE AT SPACE PARK |
| 16526 | TREMCO 34407000 805 HBRC WHITE 5 GAL | APPROVED FOR USE AT SPACE PARK |
| 16528 | CTS RAPID SET WUNDERFIXX | APPROVED FOR USE AT SPACE PARK. |
| 16529 | ARMSTRONG S-515 CLEAN THIN SPREAD TILE ADHESIVE | APPROVED FOR USE AT SPACE PARK |
| 16530 | PARA-CHEM SIGNATURE SERIES 4094 PREM.MULTI-PURP ADHESIVE | APPROVED FOR USE AT SPACE PARK |
| 16532 | PARA-CHEM PARA-PATCH PLUS | APPROVED FOR USE AT SPACE PARK |
| 16551 | SIMPSON SET-XP ADHESIVE RESIN AND HARDENER 1:1 V | PD - HBA Inc. |
| 16569 | LATICRETE 253 GOLD RAPID ADHESIVE | Mix outdoors only. |
| 16570 | TREMCO 36APPSM601 POWERPLY APP SMOOTH-1.0 SQ ROLL | APPROVED FOR USE AT SPACE PARK |
| 16571 | TREMCO 36APPBAS601 POWERPLY APP BASE SHEET-1.5 SQ ROLL | APPROVED FOR USE AT SPACE PARK |
| 16574 | SENTINEL 626 CARPET ADHESIVE REMOVER | APPROVED FOR USE AT SPACE PARK |
| 16580 | HONEYWELL GENETRON 410A REFRIGERANT (AZ-20) | Approved for use at Space Park |
| 16600 | INLINE 707 LOW ODOR MASTIC REMOVER | APPROVED FOR USE AT SPACE PARK |
| 16604 | WR GRACE Z01753 RETROGUARD FIREPROOFING | APPROVED FOR USE AT SPACE PARK |
| 16609 | DUNN-EDWARDS SPMA30-0 SUPREMA EGGSHELL | APPROVED FOR USE AT SPACE PARK |
| 16617 | 3M HI-STRENGTH 90 CYLINDER SPRAY ADHESIVE | Restricted on a case by case basis - contractor to comply with their hazard communication program and wear PPE in accordance with MSDS. |
| 16633 | RECTORSEAL 74044 NOKORODE AQUA FLUX | APPROVED FOR USE AT SPACE PARK |
| 16634 | RECTORSEAL NOKORODE REGULAR PASTE FLUX | Do not expose NGC personnel to fumes dust or vapors |
| 16635 | VICTAULIC LUBRICANT (VIC LUBE) | APPROVED FOR USE AT SPACE PARK |
| 16636 | INTERNATIONAL INDUSTRIAL GASES PROPANE | Approved for outdoor use. Restricted to one 28.5 cu. ft. container indoors. Any other use must be submitted for review on a case by case basis. |
| 16638 | AIR PRODUCTS ACETYLENE GAS | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16639 | AIR PRODUCTS NITROGEN | APPROVED FOR USE AT SPACE PARK |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 16640 | LA-CO MARKAL PIPETITE PASTE | DENIED FOR USE AT SPACE PARK |
| 16641 | AIR PRODUCTS ARGON GAS | APPROVED FOR USE AT SPACE PARK |
| 16642 | SOUTH COAST K159199 KEY TITE JOINT COMPOUND | APPROVED FOR USE AT SPACE PARK |
| 16643 | HENRY HE208 WET PATCH ROOF CEMENT | Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis. |
| 16644 | IPS WELD-ON P70 LOW VOC PRIMER (USE CRP 1759) | Approved for outdoor use. Restricted to 16 ounces indoors due to extreme flammability. Any other use must be submitted for review on a case by case basis. |
| 16645 | IPS WELD-ON 2700 LOW VOC PVC PLASTIC PIPE CEMENT | Approved for outdoor use if away from ventilation intakes. Restricted to 16 ounces indoors due to extreme flammability and chronic toxicity. Any other use must be submitted for review on a case by case basis. |
| 16646 | IPS WELD-ON 724 LOW VOC CEMENT FOR CPVC PLASTIC PIPE | Approved for outdoor use. Restricted to 16 ounces indoors due to extreme flammability. Any other use must be submitted for review on a case by case basis. |
| 16647 | IPS WELD-ON 2771 & 2773 LOW VOC PIPE CEMENT FOR ABS PLASTIC | Approved for outdoor use if away from ventilation intakes. Restricted to 16 ounces indoors due to extreme flammability and chronic toxicity. Any other use must be submitted for review on a case by case basis. |
| 16649 | HOBART BROTHERS GROUP C WELDING ELECTRODES (VARIOUS) | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16650 | WASHINGTON ALLOY AWS A5.4 BARE STAINLESS STEEL ELECTRODE | APPROVED FOR OUTDOOR USE ONLY DUE TO CHRONIC TOXICITY OF WELDING FUMES. ANY OTHER USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS. |
| 16651 | RADNOR WELDING 300 SERIES STAINLESS STEEL WELDING WIRE (VAR) | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16652 | HOBART BROTHERS ER SERIES AWS WELDING ELECTRODES (VARIOUS) | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16653 | HILTI 259 FS-ONE HI PERFORMANCE INTUMESCENT FIRESTOP SEALANT | APPROVED FOR USE AT SPACE PARK |
| 16654 | HILTI 266 CP 601S ELASTOMERIC FIRESTOP SEALANT | APPROVED FOR USE AT SPACE PARK |
| 16655 | HILTI 283 CP 604 SELF-LEVELING FIRESTOP SEALANT | APPROVED FOR USE AT SPACE PARK |
| 16656 | HILTI CP 606 FIRESTOP ACRYLIC SEALANT | APPROVED FOR USE AT SPACE PARK |
| 16657 | HILTI 270 MINERAL WOOL | APPROVED FOR USE AT SPACE PARK |
| 16658 | 3M BRAND FIRE BARRIER CP-25WB+ | APPROVED FOR USE AT SPACE PARK |
| 16662 | ZING INTERNATIONAL TIME RELEASE FINISH EMULSIFIER | APPROVED FOR USE AT SPACE PARK |
| 16663 | PORTIONPAC GERMICIDAL DETERGENT 201N 202N 204N 205N 264N | APPROVED FOR USE AT SPACE PARK. IF USE IN CONCENTRATED FORM ENSURE EYEWASH AND SHOWER IN THE AREA OF USE. |
| 16664 | PORTIONPAC® CHEMICAL SCRUBPAC DEPOTPAC HEAVY DUTY CLEANERS | APPROVED FOR USE AT SPACE PARK. ENSURE EYE WASH IN WORK AREA GIVEN BURNING SENSATION TO THE EYES.. |
| 16666 | SCOUT SYSTEMS REACH DEEP CARPET CLEANING SOLUTION | APPROVED FOR USE AT SPACE PARK |
| 16682 | JB WELD 48008 48105 48155 48171 EPOXY STEEL HARDENER | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16683 | IDEAL INDUSTRIES 30-451 WING-NUT WIRE CONNECTORS-ALL MODELS | APPROVED FOR USE AT SPACE PARK |
| 16685 | 3M SUPER 33+ 88 37 & 15 VINYL ELECTRICAL TAPE-NO LEAD | APPROVED FOR USE AT SPACE PARK |
| 16686 | ERICO CADWELD STARTING MATERIAL | Space Park Site Only - any use must be submitted for review on a case by case basis. |
| 16687 | THOMAS AND BETTS 15-230 WIRESLICK LUBRICANT | APPROVED FOR USE AT SPACE PARK |
| 16688 | SHERWIN-WILLIAMS 7321 KRYLON CONTR. MARKING PAINT RED/ORANGE | Approved for outdoor use if away from ventilation intakes. Restricted to 16 ounces indoors due to extreme flammability and chronic toxicity. Any other use must be submitted for review on a case by case basis. |
| 16690 | IDEAL WT WIRE CONNECTORS-ALL MODELS | Approved for outdoor use if away from ventilation intakes. Restricted from indoor use if heated. Any other use must be submitted for review on a case by case basis. |
| 16691 | EGS ELECTRICAL GROUP STEEL EMT FITTING | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16692 | THOMAS & BETTS TY-RAP DETECTABLE POLYPROPYLENE CABLE TIES | APPROVED FOR USE AT SPACE PARK |
| 16693 | IDEAL INDUSTRIES CABLE TIES - ALL 15 SERIES | APPROVED FOR USE AT SPACE PARK |
| 16694 | 3M 11-4628-1 CC-3 CABLE CLEANING PADS (CABLE CLEANER) | DENIED FOR USE AT SPACE PARK |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 16695 | THYSSENKRUPP MATERIALS COPPER/COPPER ALLOYS | Approved for outdoor use if away from ventilation intakes. Restricted from cutting or grinding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16697 | ALLIED TUBE & CONDUIT POWER-STRUT GALVANIZED | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16699 | REPUBLIC CONDUIT HOT DIP (ZINC) GALVANIZED STEEL CONDUIT | APPROVED FOR USE AT SPACE PARK |
| 16701 | ALLIED TUBE & CONDUIT PLASTIC PIPE | Approved for outdoor use if away from ventilation intakes. Restricted from cutting torching or grinding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16702 | THOMAS & BETTS 0023 XTRAFLEX LIQUIDTIGHT NON-METAL CONDUIT | APPROVED FOR USE AT SPACE PARK |
| 16707 | SIKA SIKAGROUT 328 | Approved when mixed outdoors. |
| 16713 | ABATIX A00308 HEAVY-DUTY ADHESIVE SPRAY | Restrict quantity to no more than four cans in use at site. Extremely flammable |
| 16714 | FRANMAR CHEMICAL BEAN-E-DOO MASTIC REMOVER | APPROVED FOR USE AT SPACE PARK |
| 16715 | DUMOND SMART STRIP BY PEEL AWAY | APPROVED FOR USE AT SPACE PARK |
| 16716 | DUMOND DCI-026 PEEL AWAY ST-1 | Approved for use at Space Park. |
| 16717 | MALLINCKRODT BAKER K075 DIMETHYL PHTHALATE | DENIED FOR USE AT SPACE PARK |
| 16719 | TREMCO 4140U503 6X300 BURMESH 6 RL | APPROVED FOR USE AT SPACE PARK |
| 16720 | TREMCO 364-100L BURMASATIC ADHESIVE LV (DUPLICATE) | APPROVED FOR USE AT SPACE PARK |
| 16721 | TREMCO 347028 601 BURMASTIC GL | APPROVED FOR USE AT SPACE PARK |
| 16722 | TREMCO 108700 601 BURMASTIC COMPOSITE PLY HT | APPROVED FOR USE AT SPACE PARK |
| 16723 | TREMCO 046505 805 SHEETING BOND WHITE AF 5 US GAL | Restricted to off-hour use and limited to 15 Gallon bucket at a time |
| 16724 | TREMCO 032560 502 TREMCO/A1GRIT SNOW WHITE AGGR.80#/BAG | Approved for outdoor use if away from ventilation intakes. Restricted from indoor use due to chronic toxicity. Any other use must be submitted for review on a case by case basis. |
| 16725 | TREMCO 876101 309 TREMSEAL D 30/CS (USE CRP 16337) | Approved for outdoor use if away from ventilation intake. Restricted to 5 gallons indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis. |
| 16726 | TREMCO 876-036 TREMSEAL HP BASE | Approved for outdoor use if away from ventilation intake. Restricted to 5 gallons indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis. |
| 16752 | TREMCO 361590 805 POLYROOF LV 5 U.S.GAL (19L) | Approved for outdoor use if away from ventilation intake. Restricted to 1 gallon indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis. |
| 16753 | TREMCO 043-LINE HYPALON ELASTOMERIC SHEET | APPROVED FOR USE AT SPACE PARK |
| 16754 | TREMCO 362200 805 FAS N FREE ADHESIVE 5 GL | Approved for outdoor use if away from ventilation intake. Restricted to 5 gallons indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis. |
| 16755 | TREMCO DEV1863-RL33 855 ROCK-IT ADHESIVE 55 GAL DRUM | Restricted to off-hour use only and cover ventilation intakes with carbon filters |
| 16756 | CHEMIFAX SHOWERS N STUFF | APPROVED FOR USE AT SPACE PARK |
| 16757 | ZING INTERNATIONAL ZING CPC LIQUID | APPROVED FOR USE AT SPACE PARK |
| 16758 | ZING INTERNATIONAL CPC FLOOR MAINTAINER | APPROVED FOR USE AT SPACE PARK |
| 16759 | ZING INTERNATIONAL FIRST IMPRESSION | APPROVED FOR USE AT SPACE PARK |
| 16760 | ZING INTERNATIONAL FLOOR COATING PLUS | APPROVED FOR USE AT SPACE PARK |
| 16761 | ZING INTERNATIONAL ZING FLOOR PREP | APPROVED FOR USE AT SPACE PARK |
| 16762 | PORTIONPAC CHEMICAL 1802 MOPPAFLITE PH FLOOR CLEANER | APPROVED FOR USE AT SPACE PARK |
| 16763 | WAXIE 380191 PINA COLADA HAIR & BODY SHAMPOO | APPROVED FOR USE AT SPACE PARK. |
| 16764 | KIMBERLY-CLARK 91554 KIMCARE ANTIBACTERIAL SKIN CLEANSER | APPROVED FOR USE AT SPACE PARK |
| 16765 | SCOUT SYSTEMS TROUBLESHOOTER | APPROVED FOR USE AT SPACE PARK |
| 16766 | MAINTEX 1525 ANTI-FOAM | APPROVED FOR USE AT SPACE PARK |
| 16767 | MAINTEX 1172 CRYSTAL CLEAR HAND SOAP | APPROVED FOR USE AT SPACE PARK |
| 16768 | MAINTEX 1131 WAX ELIMINATOR FLOOR FINISH STRIPPER | Approved for use at Space Park. |
| 16769 | WAXIE A00183 GUM AWAY II CHEWING GUM & CANDLE WAX REMOVER | Restricted to 12 ounces given flammability. Any other use must be submitted for review on a case by case basis. |
| 16770 | RUST-OLEUM 208028 SIE S30 GRIPTec PRIMER HI HIDE WHITE | APPROVED FOR USE AT SPACE PARK |
| 16771 | SHERWIN B9W551(B9W951) HARMONY INT EGG-SHELL FINISH | APPROVED FOR USE AT SPACE PARK |
| 16772 | SHERWIN B11W500 (B11W900) HARMONY INT PRIMER WHITE | APPROVED FOR USE AT SPACE PARK |
| 16773 | AVANTOR (MALLINCKRODT BAKER) ACETONE (USE CRP 2537) | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16774 | W.F. TAYLOR 1000-4-SI SHAW SUP GRADE CARPET ADHESIVE | APPROVED FOR USE AT SPACE PARK |
| 16775 | W.F. TAYLOR 1NC-4 SPECIAL PURPOSE CONTACT CEMENT VOC COMPLIA | DENIED FOR USE AT SPACE PARK |
| 16776 | BOSTIK WEBCRETE 95 FAST-SETTING FLOOR PATCH | Approved for use at Space Park Palmdale |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 16778 | SHERWIN-WILLIAMS B10W951 HARMONY INT.SEMI-GLOSS FINISH | APPROVED FOR USE AT SPACE PARK |
| 16779 | TREMCO 346100 805 TREMLITE MASTIC-TROWEL GRADE 5 US GL | APPROVED FOR USE AT SPACE PARK |
| 16780 | TREMCO 876020 320 TREMSEAL S B | APPROVED FOR USE AT SPACE PARK |
| 16782 | TREMCO 086100 512 WALLTITE PRIMER | APPROVED FOR USE AT SPACE PARK |
| 16783 | IDEAL AQUA-GEL II UTILITY CABLE PULLING LUBRICANT | APPROVED FOR USE AT SPACE PARK |
| 16784 | L.H.DOTTIE RKM1 DOTTIE RAIN KOTE | Approved for outdoor use if away from ventilation intake. Restricted to 1 gallon indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis. |
| 16785 | RUST-OLEUM 1280504 STOPS RUST ENAMEL BRUSH PRIMERS | DENIED FOR USE AT SPACE PARK |
| 16786 | L.H.DOTTIE HF340 HANDI-FOAM | Approved for outdoor use if away from ventilation intake. Restricted to 1 gallon indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis. |
| 16787 | L.H.DOTTIE PV-16 32 PVC SOLVENT | DENIED FOR USE AT SPACE PARK |
| 16788 | LH DOTTIE CO1/CO4 DOTTIE DARK CUTTING OIL | Restricted to 5 gallons indoors. |
| 16789 | AERVOE 200 SERIES CONSTRUCTION MARKING PAINT (VAR.COLORS) | Approved for use outdoors limited to 16 ounces indoors due to flammability. Any other use must be submitted for review on a case by case basis. |
| 16790 | L.H.DOTTIE RTV3 8 10 RTV SILICONE SEALANT | APPROVED FOR USE AT SPACE PARK |
| 16791 | DAP 070798180659 ALEX PAINTERS ACRYLIC LATEX CAULK-ALLCOLORS | APPROVED FOR USE AT SPACE PARK |
| 16792 | MOTOR OIL AW HYDRAULIC OIL NZ 32 | APPROVED FOR USE AT SPACE PARK |
| 16793 | WM BARR QAC18 KLEAN-STRIP ACETONE (USE CRP 4577) | If used indoors restricted to 1 gallon only |
| 16794 | 3M HI-STRENGTH 94 CA POSTFORMING BULK SPRAY ADHESIVE | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16809 | LINCOLN ELECTRIC US-CW120 INNERSHIELD NR-202 | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16810 | NOBLE COMPANY FIREFIGHTER GL FLUID | APPROVED FOR USE AT SPACE PARK |
| 16811 | LINCOLN ELECTRIC US-M220 FLEETWELD 35 | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16812 | LINCOLN ELECTRIC US-M240 FLEETWELD 37 | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16813 | W M BARR GOOF OFF PROFESSIONAL STRENGTH VOC COMPLIANT | ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS. |
| 16817 | ASBURY CARBONS GRAPHITE PLUS AEROSOL LUBRICANT | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16818 | 3M SCOTCH-BRITE HAND PADS 6448 LIGHT DUTY S-ULF/KS S-ULF | APPROVED FOR USE AT SPACE PARK |
| 16819 | IRWIN BLUE CHALK STANDARD | APPROVED FOR USE AT SPACE PARK |
| 16820 | CUMING MICROWAVE C-RAM EVA | APPROVED FOR USE AT SPACE PARK |
| 16821 | CUMING MICROWAVE C-RAM SFC POLYURETHANE FOAM | APPROVED FOR USE AT SPACE PARK |
| 16822 | CUMING MICROWAVE C-RAM SFC-HPHC POLYURETHANE FOAM | APPROVED FOR USE AT SPACE PARK |
| 16829 | SHERWIN B58W620/B58V620 MACROPOXY 646-100 FAST CURE 1:1 V | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16831 | ICI PAINTS 4328 DEVSHIELD INT/EXT ALKYD URETHANE GLOSS ENAME | DENIED FOR USE AT SPACE PARK |
| 16832 | ICI PAINTS 4160 DEVGUARD MULTI-PURPOSE TANK&STRUCTURAL PRIME | DENIED FOR USE AT SPACE PARK |
| 16834 | PERMATEX FAST ORANGE SMOOTH CREAM HAND CLEANER | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16839 | QC CONSTRUCTION QC SOLVENT SEAL 27 | DENIED FOR USE AT SPACE PARK |
| 16841 | LINCOLN ELECTRIC INNERSHIELD NR-232 FLUX CORED ELECTRODE | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16842 | LINCOLN ELECTRIC INNERSHIELD NR-311 | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16843 | LINCOLN ELECTRIC INNERSHIELD NS-3M | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16844 | LINCOLN ELECTRIC AWS E7024 JETWELD 3 COVERED ELECTRODE | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 16845 | LINCOLN ELECTRIC NR-203 NICKEL(1%) & NR-203 NICKEL(1%)-H | Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis. |
| 16846 | SHERWIN B30W404 PROMAR 400 INT LATEX FLAT ANTIQUE WHITE | APPROVED FOR USE AT SPACE PARK |
| 16847 | RUST-OLEUM V2392838 HI PERF INVERTED MARKING AEROSOL WHITE | DENIED FOR USE AT SPACE PARK |
| 16864 | AMERICAN POLYWATER POLYWATER J LUBRICANT | Approved for Space Park use |
| 16876 | RAABE CARIBBEAN BLUE 013 01835 000 AEROSOL RUST PROTECTION | APPROVED FOR USE AT SPACE PARK |
| 16877 | WOLVERINE SILVALOY 15 (AWS BCUP-5) | Approved for 16 pounds. Any other use must be submitted for review on a case by case. |
| 16878 | PASSIVE FIRE PROTECTION PARTNERS FIRESTOP 4800DW | APPROVED FOR USE AT SPACE PARK |
| 16884 | IPS WELD-ON 711 LOW VOC PVC PLASTIC PIPE CEMENTS | Limited to 2 quarts and for exterior use only. Any other use must be reviewed on a case by case basis. |
| 16886 | ARMACELL AP ARMAFLEX | APPROVED FOR USE AT SPACE PARK |
| 16892 | LINCOLN ELECTRIC JET-LH 7018-B2L MR COVERED ELECTRODE | Approved for outdoor use and away from ventilation intakes. Any other use will be submitted for review on a case by case basis. |
| 16894 | LINCOLN ELECTRIC FLEETWELD 5P PLUS COVERED ELECTRODE | Approved for outdoor use and away from ventilation intakes. Any other use will be submitted for review on a case by case basis. |
| 16895 | SIKA 0227542 SIKAFLEX 227 (ALL COLORS) | Limit quantity to 110 ounce container for outdoor use only and away from ventilation intakes. Any other use will be submitted for review on a case by case basis. |
| 16896 | WOLVERINE 28639 SILVABRITE LEAD-FREE SOLDER | APPROVED FOR USE AT SPACE PARK |
| 16897 | OWENS CORNING 18994-SAM-EN HEAVY DENSITY PIPE INSULATION | APPROVED FOR USE AT SPACE PARK |
| 16898 | ARMACELL ARMAFLEX 520 BLV ADHESIVE | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 16900 | ARMACELL ARMAFLEX LOW VOC CONTACT ADHESIVE | DENIED FOR USE AT SPACE PARK |
| 16903 | HARRIS 0082 DYNAFLOW PHOS/COPPER BRAZING ALLOYS | APPROVED FOR USE AT SPACE PARK |
| 16904 | MOMENTIVE (GE) GE500 SILICONE RUBBER SEALANT | APPROVED FOR USE AT SPACE PARK |
| 17101 | SHERWIN B20W651/SW6429 PROGREEN LO VOC INT EG-SH BAIZE GREEN | Approved for use at Space Park. |
| 17114 | SHERWIN B20W651/SW6387 PROGREEN LO VOC INT EG-SH COMP CREAM | Approved for use at Space Park. |
| 17130 | SHERWIN B20W651/SW7571 PROGREEN LO VOC INT EG-SH CASA BLANCA | Approved for use at Space Park. |
| 17175 | LPS LABORATORIES 00216 LPS 2 LUBRICANT PSU (USE CRP 3785) | APPROVED FOR USE AT SPACE PARK |
| 17332 | QUIKRETE 1101 PORTLAND CEMENT CONCRETE MIX | Approved for use at Space Park. Ensure eyewash and washing facilities in the area of use. |
| 17466 | HENKEL 59675 LOCTITE SI 596 RD SUPERFLEX RED HT RTV SEALANT | Approved for use at Space Park. |
| 17518 | TREMCO 364-100L BURMASTIC ADHESIVE LV | APPROVED FOR USE AT SPACE PARK |
| 17520 | TREMCO 108156 601 BURMASTIC FELT COMPOSITE PLY | APPROVED FOR USE AT SPACE PARK |
| 17521 | TREMCO 49600B503 TREMPY HP4510 61 X 120 | APPROVED FOR USE AT SPACE PARK |
| 17524 | TREMCO 046404 805 TREMPY HP4510 ADH.WB 5 GAL | APPROVED FOR USE AT SPACE PARK |
| 17528 | TREMCO 360604 805 ELS-SUMMER GRADE 5 GAL US | APPROVED FOR USE AT SPACE PARK |
| 17529 | HILL BROTHERSCX01000 XYLENE | DENIED FOR USE AT SPACE PARK |
| 17538 | TREMCO 008155 601 BURMASTIC GLASS PLY | APPROVED FOR USE AT SPACE PARK |
| 17539 | DESIGN POLYMERICS DP 1010 WATER BASED DUCT SEALANT | Approved for use at Space Park |
| 17553 | SIKA SIKAFLEX 2C NS EZ MIX SEALANT PART A/B 1:1 V | Restricted to outdoor use. |
| 17554 | PACKAGING SERVICE CROWN METHYL ETHYL KETONE (MEK SOLVENT) | DENIED FOR USE AT SPACE PARK |
| 17555 | CSD/STARTEX DENATURED ALCOHOL | DENIED FOR USE AT SPACE PARK |
| 17557 | SEAFAB METALS SOFT LEAD ALLOYS | APPROVED FOR USE AT SPACE PARK |
| 17558 | USG 41-200-008 CLEAN ROOM CLIMAPLUS CLASS 100 | APPROVED FOR USE AT SPACE PARK. |
| 17560 | ZRC AND GALVILITE COLD GALVANIZING COMPOUND AEROSOL | DENIED FOR USE AT SPACE PARK SITE |
| 17562 | P.F.I 5-HES-1101 RED OXIDE PRIMER | DENIED FOR USE AT SPACE PARK |
| 17566 | WHITE CAP CONCRETE CURE CLEAR VOC | DENIED FOR USE AT SPACE PARK. |
| 17569 | EDOCO 21-302695 FORM OIL VOC | APPROVED FOR USE AT SPACE PARK |
| 17576 | AERVOE SURVEY MARKING PAINT (200 SERIES COLORS) AEROSOL | Space Park Site - Restricted to 1-17 ounce aerosol can on site. Any other amount must be submitted for review on a case by case basis. |
| 17577 | CARBOLINE PLMSDS0255S1NL CARBOCRYLIC 120 (AKA SANITILE 120) | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 17578 | CARBOLINE CARBOGUARD 890 VOC A/B/THINNER 236 E 1:1:0.12 V | APPROVED FOR USE AT SPACE PARK |
| 17579 | CARBOLINE PLMSDS 0185A1NL CARBOMASTIC 15 PART A/B 1:1V | APPROVED FOR USE AT SPACE PARK |
| 17580 | HUMCO HOLDING Goup ISOPROPL RUBBING ALCOHOL 70% | DENIED FOR USE AT SPACE PARK |
| 17581 | STERIS CORP 6461 VESPHENE II SE DISINFECTANT | APPROVED FOR USE AT SPACE PARK |
| 17582 | STERIS CORP 6466 LPH SE DISINFECTANT | APPROVED FOR USE AT SPACE PARK |
| 17589 | DESIGN POLYMERICS DP 77 INDUSTRIAL SPRAY ADHESIVE AEROSOL | Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis. |
| 17593 | FIBERLOCK 8325 IAQ 2500 DISINFECTANT AND FUNGICIDE | Restricted for use as a disinfectant/fungicide. |
| 17595 | AQUA SERVE 5484 CLEANER | Approved for use at Space Park. |
| 17605 | SHERWIN B34W251 PROMAR 200 INT ALKYD SEMI-GLOSS WHITE | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 17606 | SHERWIN B33W251 PROMAR 200 INT ALKYD ENAMEL EG EXTRA WHITE | DENIED FOR USE AT SPACE PARK |
| 17609 | SHERWIN B42T104 METALEX S/G ACRYLIC ULTRADEEP BASE | DENIED FOR USE AT SPACE PARK |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 17610 | SHERWIN B20W651 PROGREN 200 NO VOC INT LTX EG-SHL X-WHITE | APPROVED FOR USE AT SPACE PARK |
| 17615 | NU-CALGON 4182 CAL-BLUE PLUS GAS LEAK DETECTOR | Approved for use at Space Park. |
| 17628 | RIDGE TOOL RIDGID NU-CLEAR THREAD CUTTING OIL (MULT PART#) | Approved for use at Space Park. |
| 17777 | HB FULLER CHAPCO 400 SAFE-SET COVE BASE ADHESIVE | Approved for use at Space Park |
| 17943 | DOW AGROSCIENCES VIKANE GAS FUMIGANT | Restricted to outdoor use only and away from ventilation intakes. Submit for review on a case by case basis. |
| 17956 | BLASTER PB PENETRATING CATALYST AEROSOL | Approved for use at Space Park |
| 18015 | SIKA 0432540 SIKAFLEX 1C SL SELF LEVELNG SEALANT | Approved for outdoor use only. Any other use must be reviewed and approved on a case by case basis. |
| 18059 | WM BARR GKSP94006 ODORLESS MINERAL SPIRITS | Restricted to 2 gallons indoors. Any other quantity must be submitted for review and approval on a case by case base. |
| 18324 | ROBINAIR VACUUM PUMP OIL | Approved for use at Space Park. |
| 18576 | AMERICAN POLYWATER DYNA-BLUE LUBRICANT | APPROVED FOR USE AT SPACE PARK |
| 18578 | DAUBOIS 10.04 BOMIX CONCRETE | Mix outdoors in well ventilated areas. Any other mixing method must be submitted for review on a case by case basis. |
| 18579 | LOCTITE 25791 ELECTRICAL CONTACT & PARTS CLEANER | DENIED FOR USE AT SPACE PARK |
| 18580 | LAWSON 27900 FIRE STOP CAULK | APPROVED FOR USE AT SPACE PARK |
| 18581 | UNOCAL 76 00406 UNLEADED PLUS 87 GASOLINE M/H | ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS.. |
| 18582 | OATEY 31132 ALL WEATHER CEMENT | DENIED FOR USE AT SPACE PARK |
| 18583 | SHERWIN-WILLIAMS 142-0041 SHERMARK UPSIDE DOWN MARKING PAINT | DENIED FOR USE AT SPACE PARK |
| 18592 | DOW CHEMICAL LUBRICANT SULLUBE COMPRESSOR OIL | Approved for use at Space Park. |
| 18597 | HILTI FIRESTOP PUTTY CP617 PAD CP618 STICK CP619T ROLL | APPROVED FOR USE AT SPACE PARK |
| 18598 | RAYCHEM RAY2010 HOT MELT ADHESIVES/MASTICS | APPROVED FOR USE AT SPACE PARK |
| 18599 | RAYCHEM RAY4566 HEAT-SHRINKABLE POLYMERIC PRODUCTS | APPROVED FOR USE AT SPACE PARK |
| 18600 | 3M 11-4629-9 CC-4 AND CC-55 (CABLE CLEANER-BULK LIQUID) | APPROVED FOR USE AT SPACE PARK |
| 18601 | TYCO EPPA-117 [RAYCHEM] S1189 STRESS RELIEF MATERIAL (SRM) | APPROVED FOR USE AT SPACE PARK |
| 18602 | TYCO RAY4084 TDUX AND RDSS LUBRICANT | APPROVED FOR USE AT SPACE PARK. |
| 18603 | HESS 9950 GASOLINE ALL GRADES | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18604 | IPS WELD-ON DUIT 413 LOW VOC PIPE CEMENT/P-68 PRIMER 1:1 V | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18605 | AERVOE 400 SAFETY SOLVENT HD | APPROVED FOR USE AT SPACE PARK |
| 18606 | SUNSHINE 13005 SIMPLE GREEN ALL PURPOSE CLEANER/WATER 1:1 V | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18607 | IMPERIAL OIL 6434 MOBILGREASE 28 | APPROVED FOR USE AT SPACE PARK |
| 18610 | RECTORSEAL 73851 NICKEL-RICH LUBRICANT | APPROVED FOR USE AT SPACE PARK |
| 18611 | 3M 10-2656-6 SILICONE LUBRICANT | APPROVED FOR USE AT SPACE PARK |
| 18630 | FOMO A16304 POLYURETHANE FOAM CLEANER A | Restricted to 24 ounces on-site |
| 18635 | DUPONT CORLAR SG EPOXY MASTIC LF-63290P FG-090 MIXTURE 2:1V | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18637 | DUPONT IMRON 9T11/9T00A:VG805/9M01 CLEAR AC/ADT 4:1:0.5 W | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18643 | CUSTOM BUILDING POLYBLEND SANDED GROUT | Restricted to mixing outdoors and away from ventilation intakes. Any other use must be submitted for review on a case by case basis. |
| 18644 | CUSTOM BUILDING VERSABOND FLEX MODIFIED THIN-SET MORTAR | Restricted outdoor mixing of 25 pounds and away from ventilation intakes. All other use must be submitted for review on a case by case basis. |
| 18646 | SULZER METCO TINE WIRE | APPROVED FOR USE AT SPACE PARK |
| 18647 | SHERWIN B66W310 PRO INDUSTRIAL PRO-CRYL PRIMER OFF-WHITE | APPROVED FOR USE AT SPACE PARK |
| 18648 | SHERWIN-WILLIAMS B31W651 PROGREN 200 LOW VOC S-G X-WHITE | APPROVED FOR USE AT SPACE PARK |
| 18649 | SHERWIN B51W20 PREPRITE PROBLOCK SEALER (DISCONTINUED) | APPROVED FOR USE AT SPACE PARK |
| 18650 | SHERWIN B73W311/B73V300 PRO INDUSTRIAL WB EPOXY 4:1 V EX WHT | APPROVED FOR USE AT SPACE PARK |
| 18654 | HENKEL PL PREMIUM POLYURETHANE CONSTRCTION ADH LOW VOC | Limited to two tubes given respiratory sensitization. Any other use must be submitted for review on a case by case basis. |
| 18655 | INPRO INPRO BOND ADHESIVE | APPROVED FOR USE AT SPACE PARK |
| 18665 | STONHARD STONFLEX MP7 ISO/MP7 PEWTER RESIN 1:1 V | Approved for Rancho Bernardo - same restrictions/controls apply as those listed for Space Park. IF ADEQUATE VENTILATION CAN NOT BE ACHIEVED THEN THE PRODUCT MUST BE USED OFF HOURS. |
| 18669 | STONHARD GS4 PIGMENTED AMINE (BLUSH RESISTANT) | RESTRICTED FOR OFF-HOUR USE ONLY |
| 18671 | STONHARD 1736/828C STONCLAD GS AMINE/RESIN/AGG STEEL GRAY | RESTRICTED FOR OFF HOUR USE ONLY. |
| 18672 | STONHARD STONCLAD AGGREGATE STEEL GRAY | APPROVED FOR USE AT SPACE PARK |
| 18677 | STONHARD STONPROOF CT5 BASE/HARDENER PART B/A 4:1 V | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18685 | SHERWIN B66A310 PRO-CRYL UNIVERSAL ACRYLIC PRIMER GRAY | Approved for use at Space Park Site |
| 18686 | SHERWIN B66W651 PRO INDUSTRIAL ACRYLIC SEMI-GLOSS XTRA WHITE | APPROVED FOR USE AT SPACE PARK |
| 18691 | HILTI 318 HIT-RE-500 SD A/B 1:1 V | APPROVED FOR USE AT SPACE PARK |
| 18693 | AKZO NOBEL (GLIDDEN) GP9300 LIFEMASTER NO VOC EGGSHELL | APPROVED FOR USE AT SPACE PARK |
| 18694 | AKZO NOBEL (GLIDDEN) GP9200 LIFEMASTER NO VOC SEMI-GLOSS | APPROVED FOR USE AT SPACE PARK |
| 18706 | CLOROX COMMERCIAL SOLUTIONS CLOROX GERMICIDAL BLEACH | APPROVED FOR USE AT SPACE PARK |
| 18707 | FIBERLOCK 8315 IAQ 1000 MOLD STAIN REMOVER | APPROVED FOR USE AT SPACE PARK |
| 18712 | COX INDUSTRIES DRICON FIRE RETARDANT TREATED WOOD | APPROVED FOR USE AT SPACE PARK |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 18714 | HILTI 101 SAFETY BOOSTERS 22 25 27 CALIBER BLANK CARTRIDGES | APPROVED FOR USE AT SPACE PARK |
| 18716 | WELLMARK INTERNATIONAL PRECOR 2000 PLUS PREMISE SPRAY (FLEA) | Retricted to 10 ounces on site. Any other use must be reviewed on a case by case basis. |
| 18720 | HELMITIN 59-007 BURKE 101 ACRYLIC WALL BASE ADHESIVE | Approved for use at Space Park. |
| 18725 | SUNCOAST CITRUS KING THE KING OF NATURAL CLEANERS | APPROVED FOR USE AT SPACE PARK |
| 18726 | WR MEADOWS 3425000-5 VOCOMP-25 | APPROVED FOR USE AT SPACE PARK. |
| 18745 | STONHARD 274A/67017B/869C SL PRIMER/RESIN/AGGR A/B 1:1:1 W | RESTRICTED TO OFF-HOUR USE ONLY. |
| 18746 | STONHARD 01827A0/BO ATK PRIMER AMINE/PART B 1:1V | APPROVED FOR USE AT SPACE PARK |
| 18747 | STONHARD 120B STONLUX AT PLATINUM RESIN PART B | APPROVED FOR USE AT SPACE PARK |
| 18748 | STONHARD 855C STONLUX AT AGGREGATE PART C | ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18752 | STONHARD 186D STONFIL OP2 LATEX | APPROVED FOR USE AT SPACE PARK |
| 18753 | STONHARD 101/102C STONFIL OP2 LATEX/C/C-1 | Approved for Rancho Bernardo - same restrictions apply as those listed for Space Park. ENSURE ADEQUATE VENTILATION SO AS NOT TO OVEREXPOSE NG EMPLOYEES. If adequate ventilation can not be achieved then the product must be used off hours |
| 18757 | STONHARD 137A STONLUX AT CURING AGENT PART A | RESTRICTED TO OFF-HOUR USE. ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18797 | AMERICAN REFINING GROUP 4392B THERMOIL BATTERY OIL | APPROVED FOR USE AT SPACE PARK |
| 18798 | BATTERY DE-MISTER THERMOIL BATTERY DESULFATER | APPROVED FOR USE AT SPACE PARK |
| 18800 | RUST-OLEUM 248284 SIE 1-GL EPOXY WB ACTIVATOR | APPROVED FOR USE AT SPACE PARK |
| 18803 | PPG AK2VST/G-A-AK2V 2 VOC ST CURE/GUIDE FORMULA 1:1V | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18810 | RC DAVIS CO. TRUE BOND KOTE | APPROVED FOR USE AT SPACE PARK |
| 18812 | TREMCO 108600 601 BURMASTIC COMPOSITE PLY PREMIUM GREEN | Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis. |
| 18813 | TREMCO 36STD24601 POWERPLY STANDARD FR T24 ROLL | Restricted for outdoor use only. Any other use must be reviewed on a case by case basis. |
| 18814 | TREMCO DEV-T1931-BK24 WIP-POWERPLY WHITE ON WHITE ADHESV.V3 | APPROVED FOR USE AT SPACE PARK |
| 18822 | TREMCO 36SABAS601 POWERPLY SA BASE SHEET-2.0 SQ ROLL | Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis. |
| 18823 | TREMCO 36STD601 POWERPLY STANDARD FR-WHITE GRANULE | Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis. |
| 18872 | CERTAINTED CT 10101-1 SOFT TOUCH DUCT WRAP | Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis. |
| 18874 | FORBO FLOORING FORBO L-910 LINOLEUM ADHESIVE | APPROVED FOR USE AT SPACE PARK |
| 18895 | STONHARD 01822/C2 STONKOTE AT5 ANTISTAT | ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18897 | SIKA 0557501 SIKACRETE 211 | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18898 | SIKA 552 SIKAREPAIR 222 | Restricted to outdoor and off hour use and away from ventilation intakes. Any other use must be submitted for review on a case by case basis. |
| 18907 | SHELL 001A0335 SHELL MORLINA OIL 150 | APPROVED FOR USE AT SPACE PARK |
| 18908 | CRC SL3310 LITHIUM GENERAL PURPOSE GREASE | APPROVED FOR USE AT SPACE PARK |
| 18910 | WR GRACE M-85822 BITUTHENE LIQUID MEMBRANE PART A/B 1:1V | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18911 | SIKA GROUT 212 GENERAL PURPOSE CEMENTITIOUS GROUT | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 18912 | WR MEADOWS 1100 (1100-CLEAR) CURING COMPOUND | APPROVED FOR USE AT SPACE PARK. |
| 18913 | US MIX HUB 100 II | OK TO USE IF MIXED OUTDOORS |
| 18926 | GE ADVANCED MATERIALS DE7100 ELASTOMIERIC WATERPROOF COAT | APPROVED FOR USE AT SPACE PARK. |
| 18941 | BAYER SUSPEND POLYZONE | If product is used indoors it must be applied during off-hours. |
| 18962 | FIBERLOCK 8310 SHOCKWAVE | APPROVED FOR USE AT SPACE PARK. |
| 18963 | FIBERLOCK 8360 IAQ 6000 WHITE MOLD RESISTANT COATING | Approved for use at Space Park |
| 18978 | DUPONT M0000626 ADVION COCKROACH GEL BAIT | Approved for use at Space Park. |
| 18979 | EXXON MOBIL MOBIL POLYREX EM | APPROVED FOR USE AT SPACE PARK |
| 18980 | CRC SUPER WHITE MULTI-PURPOSE GREASE (USE CRP 1304) | RESTRICTED TO OFF HOUR USE |
| 18983 | FALCON (DUPONT) DUST DESTROYER AEROSOL | Denied for use at Space Park. |
| 19034 | DUNN EDWARDS W6079 AQUAFALL LATEX DRY FALL FLAT COATING | Approved for use at Space Park |
| 19058 | SENTINEL 805 ENVIROWASH | Approved for Space Park Use |
| 19069 | ANGELUS BLOCK CONCRETE MASONRY BLOCK | PD- HBA Inc. |
| 19070 | E-Z MIX S M N MORTAR AND WALL MUD | PD- HBA Inc. |
| 19074 | STONHARD 235D STONFIL OP2 PRIMER LATEX | Approved for Rancho Bernardo- same restrictions/controls apply as those listed for Space Park |
| 19075 | SHERWIN B66N310 PRO-INDUSTRIAL PRO-CRYL PRIMER RED OXIDE | Approved for Space Park use; Approved for Palmdale use |
| 19083 | DUNN-EDWARDS EVSH10 EVERSIELD EXTERIOR FLAT PAINT | |
| 19087 | VALSPAR 214286 SIGNATURE SANDSTONE FINISH | DENIED FOR USE AT SPACE PARK. |
| 19110 | BASF 471574 TERMIDOR DRY TERMITICIDE 0.5% FIPRONIL | Approved for use at Space Park. |
| 19114 | DUNN EDWARDS BRPR00-1-WH BLOC-RUST PREMIUM PRIMER WHITE | Review on a case-by-case basis |
| 19116 | DUNN EDWARDS VNSL00-0 VINYLASTIC SELECT WALL SEALER | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 19123 | DUCTMATE 440 GASKET TAPE | APPROVED FOR USE AT SPACE PARK |
| 19124 | TREMCO 93163V260 TREMPROJS773 OFFWHT-52 USGL-W/L(43.51GL) | APPROVED FOR USE AT SPACE PARK |
| 19125 | KNAUF INSULATION 1014 FIBER GLASS INSULATION-ECOSE-TECHNOLOG | APPROVED FOR USE AT SPACE PARK |
| 19126 | WOLVERINE SILVALOY ALLOYS (VARIOUS PC) | APPROVED FOR OUTDOOR USE ONLY. ANY OTHER USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS. |
| 19127 | WOLVERINE ECONOBRITE SILVABRITE 100 SILVALOY B-7T B-7TV.. | RESTCTED TO OUTDOOR USE ONLY DUE TO TOXICITY OF WELDING FUMES. ANY OTHER USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS. |
| 19128 | WF TAYLOR FINALE 2040 PREMIUM COVE BASE ADHESIVE | Approved for use at Space Park. |
| 19135 | HB FULLER (SPECIALTY) 802414PM FOSTER 85-20 ADHESIVE | DENIED FOR USE AT SPACE PARK |
| 19136 | HARRIS 0123 METAL ALLOY | APPROVED FOR USE AT SPACE PARK |
| 19137 | PROSOCO SURE KLEAN WEATHER SEAL SILOXANE PD | APPROVED FOR USE AT SPACE PARK |
| 19138 | CURECRETE CHEMICAL ASHFORD FORMULA | APPROVED FOR USE AT SPACE PARK |
| 19153 | TREMCO 505410805 TPA LV SINGLE PLY BONDING ADHESIVE 5 GAL | APPROVED FOR USE AT SPACE PARK |
| 19154 | TREMCO 505345 503 TPA 45 ORIGINAL MIL FIELD SHEET 78X108 | APPROVED FOR USE AT SPACE PARK |
| 19156 | US MIX CO HUB SUPER BONDCRETE | APPROVED FOR USE AT SPACE PARK. |
| 19172 | TNEMEC 27WB-OOWHA TYPOXY ARCTIC WHITE | APPROVED FOR USE AT SPACE PARK |
| 19173 | TNEMEC 27WB-0027B TYPOXY CONVERTER | APPROVED FOR USE AT SPACE PARK |
| 19174 | HB FULLER CP0110 CHILDERS CP-11 | APPROVED FOR USE AT SPACE PARK |
| 19175 | DOW CORNING HVAC/R SEALANT ALUMINUM | APPROVED FOR USE AT SPACE PARK |
| 19176 | JOHNS MANVILLE1009 FIBER GLASS WOOL COMMERICAL INSULATION | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 19177 | SPEEDLINE CORP 73-20 RTV ADHESIVE/SEALANT | APPROVED FOR USE AT SPACE PARK |
| 19193 | IRWIN CHALK - BLACK RED-WHITE VAR OTHER COLORS | APPROVED FOR USE AT SPACE PARK |
| 19194 | 3M FIREDAM 150+ CAULK | APPROVED FOR USE AT SPACE PARK |
| 19195 | 3M FIRE BARRIER WATERTIGHT SEALANT 3000 WT | APPROVED FOR USE AT SPACE PARK |
| 19196 | UNITED STATES GYPSUM SHEETROCK ACOUSTICAL SEALANT | Approved for use at Space Park |
| 19199 | TREMCO 253100 817 TREMPRIME NON-POROUS PRIMER | ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 19200 | TREMCO TREMLITE METAL PRIMER WB #3358 GREY METAL PRIMER | DENIED FOR USE AT SPACE PARK. |
| 19210 | CTS RAPID SET MORTAR MIX | APPROVED FOR USE AT SPACE PARK. |
| 19211 | OMEGA PRODUCTS OMEGA AKROFLEX | APPROVED FOR USE AT SPACE PARK. |
| 19213 | JPS COMPOSITE 1093 WOVEN FIBERGLASS FABRIC | APPROVED FOR USE AT SPACE PARK. |
| 19215 | LARSEN WELD-CRETE | APPROVED FOR USE AT SPACE PARK |
| 19216 | OMEGA PRODUCTS OMEGA FOAMTEK20 | Restricted to mixing outdoors given chronic toxicity. Any other use must be submitted for review on a case by case basis. |
| 19220 | NUTEAK MAST MA-4920-SW HIGH PERFORM FAST SET ADHESIVE | APPROVED FOR USE AT SPACE PARK. |
| 19230 | CUSTOM BUILDING POLYBLEND NON-SANDED GROUT (ALL COLORS) | Restricted to mixing outdoors and away from ventilation intakes. Any other use must be submitted for review on a case by case basis. |
| 19232 | CUSTOM BUILDING 709 RELIBOND CERAMIC TILE ADHESIVE | APPROVED FOR USE AT SPACE PARK. |
| 19233 | CUSTOM BUILDING AQUA MIX PENETRATING SEALER | Approved for use at Space Park |
| 19234 | CUSTOM BUILDING VERSABOND FORTIFIED MORTAR | Restricted to mixing outdoors only given chronic toxicity. Any other use must be submitted for review on a case by case basis. |
| 19241 | SHERWIN B66W653 PRO INDUSTRIAL ACRYLIC SEMI-GLOSS DEEP BASE | Approved for use at Space Park. |
| 19242 | BASF CONSTRUCTION GROUT RC | Restricted to mixing with water outdoors. Ensure eye wash shower in the area of use. Mixing indoors must be submitted for review on a case by case basis. |
| 19247 | SIKA 553 SIKAREPAIR 223 | Restricted to outdoor and off hour use and away from ventilation intakes. Any other use must be submitted for review on a case by case basis. |
| 19249 | AMERON 3000/00000- AMERSHIELD WHITE RESIN/CURE 1:1V | DENIED FOR USE AT SPACE PARK. |
| 19253 | DUNN EDWARDS ESPROO-0 EFF-STOP PREMIUM PRIMER/SEALER | APPROVED FOR USE AT SPACE PARK. |
| 19264 | STONHARD 07453/829 STONCLAD HT AMINE/RESIN/AGG.BRICK RED | ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS. CONTRACTOR TO PROVIDE EYE WASH AND SHOWER IN WORK AREA. |
| 19265 | STONHARD 07313 HT PRIMER RESIN/AMINE 500 SERIES 1:1 V | APPROVED FOR USE AT SPACE PARK. CONTRACTOR TO ENSURE EYE WASH AND SHOWER IN WORK AREA. |
| 19268 | STONHARD 60XXA0/6000B0 STONKOTE GS4 RESIN/HARDENER B/A 1:1 V | Approved if mixed outdoors. ENSURE ADEQUATE VENTILATION SO AS NOT TO EXPOSE NG EMPLOYEES. IF ADEQUATE VENTILATION CAN NOT BE ACHIEVED THEN THE PRODUCT MUST BE USED OFF-HOURS |
| 19269 | STONHARD 66520C STONCLAD TX4 | APPROVED FOR USE AT SPACE PARK. |
| 19270 | STONHARD STONPROOF ME7 COATING BASE/HARDENER 1:1 V | APPROVED FOR USE AT SPACE PARK. |
| 19271 | STONHARD STONSET PM5 EPOXY PATCHING MORTAR RESIN/HARD 1:1 V | APPLIED DURING OFF HOURS ONLY. ENSURE EYE WASH AND SHOWER IN WORK AREA. |
| 19272 | PPG AK2-3/AK2V-B AMERLOCK 2/400 RESIN/2 VOC CURE 1:1 V WHITE | Restricted to outdoor use to one container due to flammability and toxicity. Ensure eye wash shower in work area. Any other use shall be submitted for review on a case by case basis. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 19285 | BELZONA 2208/2308 BELZONA 3121 (MR7) BASE/SOLIDIFIER 1:1V | Denied for use at Space Park |
| 19286 | BELZONA 5811(IMMERSION GRADE) BASE/SOLIDIFIER 1:1V | R-A. Restricted to outdoor use only given toxicity. Any other use must be submitted for review on a case by case basis. Contractor to comply with their hazard communication program wear PPE in accordance with MSDS and ensure adequate ventilation so as not to expose NG employees. |
| 19290 | AERVOE 7008 BRITE GALVANIZE COATING 65% ZINC RICH PSU | Restricted to 26 ounces. Any other use must be submitted for review on a case by case basis. |
| 19293 | WELCO MANUFACTURING WEL-COTE TRISODIUM PHOSPHATE | APPROVED FOR USE AT SPACE PARK. |
| 19295 | SCIENLAB SLS3025 SODIUM METABISULFITE | APPROVED FOR USE AT SPACE PARK. |
| 19296 | SCIENLAB SLB2533 BORIC ACID | APPROVED FOR USE AT SPACE PARK. |
| 19299 | MICRONOVA MEGACLEAN MC1-Q MC1-G MC1-5G MC1-55G MC1-C20 | Approved for use at Space Park. |
| 19320 | COMPAC CORP T-4B #166 DUCT TAPE | APPROVED FOR USE AT SPACE PARK. |
| 19350 | SIKA SIKAFLEX 2C NS SEALANT PART A/B 1:1 V | Restricted to 3 gallons indoors given flammability. |
| 19351 | TREMCO 304510LV805 TREMPROOF 250 GC-R-LV 5 GAL | Approved for outdoor use and restricted indoors. |
| 19352 | TREMCO 534601503 TREMDRAIN 1000 | Approved for use at Space Park. |
| 19353 | WARREN DISTRIBUTION SUPER TECH MOLY LITHIUM GREASE | Approved for contractors use at Space Park |
| 19354 | SCIENLAB SLA3502 ACETONE | Approved for use but limited to 1 gal indoors/outdoors due to extreme flammability. |
| 19357 | HYDROTEX G-10 DELUX 670 COPR GEAR COTE | Approved for Contractors use at Space Park |
| 19392 | FIBERLOCK 7460 7469 FIREBOND CONCENTRATE BONDING AGENT | APPROVED FOR USE AT SPACE PARK. |
| 19393 | WR GRACE Z-01797 MK-6-HY FIREPROOFING | Due to chronic toxicity for indoor during off hours use only. |
| 19401 | HR PRODUCTS CHRISTYS PURPLE PRIMER | Restricted to 2-12 ounce containers given extreme flammability and can cause severe eye injury |
| 19413 | BELZONA 1117 2221 (MP FLUID ELASTOMER) SOLIDIFIER/BASE 1:1V | Approved for outdoor use at Space Park. Any other use indoors must be approved on a case by case basis. |
| 19414 | BELZONA 1017 2211(MP HI-BUILD ELASTOMER)SOLIDIFIER/BASE 1:1V | approved for outdoor use only due to respiratory sensitization. Review for indoor use on a case by case basis. |
| 19415 | BELZONA 1200 2911NF (ELASTOMER QD CONDITIONER) | DENIED FOR USE AT SPACE PARK |
| 19419 | FIBERLOCK 8320 IAQ 2000 DISINFECTANT AND FUNGICIDE | Approved for use at Space Park. Ensure eye wash/shower is within 10 seconds of use. |
| 19421 | BELZONA 3203 4911 (MAGMA TX CONDITIONER) BASE | APPROVED FOR CONTRACTORS USE AT SPACE PARK |
| 19466 | BELL LABORATORIES DITRAC ALL-WEATHER BLOX RODENTICIDE | Approved for use at Space Park. |
| 19476 | BASF PT PI PRESSURIZED CONTACT INSECTICIDE AEROSOL | If product is used indoors it must be applied during off-hours. |
| 19478 | SYNGENTA A12690A DEMAND CS INSECTICIDE | Approved for use at Space Park. |
| 19481 | RPM MOHAWK M645-2206 WATERBORNE STAIN DARK GOLDEN OAK | Approved for Use at Space Park |
| 19482 | SHERWIN B34W851 PROCLASSIC INT WB ACRYLIC-ALKYD SEMI-GLOSS | APPROVED FOR SPACE PARK USE |
| 19483 | SHERWIN B31W2651 PROMAR 200 ZERO VOC LATEX SG EXTRA WHITE | Approved for Use at Space Park |
| 19485 | SHERWIN B73W311 PRO INDUSTRIAL O VOC WB EPOXY PART A | APPROVED FOR USE AT SPACE PARK |
| 19486 | SHERWIN B58W620 MACROPOXY 646-100 FAST CURE EPOXY PART A WHT | Any use must be reviewed on a case by case basis |
| 19487 | SHERWIN B51W8020 MULTI-PURPOSE LATEX PRIMER INT/EXT LATEX | Restricted to outdoor use or indoors without NGAS exposure given reproductive effect |
| 19488 | SHERWIN B42W400 KEM CATI-COAT HS EPOXY FILLER/SEALER (PT A) | DENIED FOR USE AT SPACE PARK. |
| 19495 | SINAK WCE SINAK THE CURE | Approved for Use at Space Park |
| 19496 | SPARTAN 4055 ISHINE | R-A Use indoors during off hours given CNS depressant. |
| 19497 | 3M NEUTRAL CLEANER CONC(PRODUCT NO 3 TWIST N FILL | Restricted to 1 quart given toxicity of the product .FOR JANITORIAL USE ONLY. |
| 19498 | 3M 08-2578-6 TROUBLESHOOTER FINISH REMOVER CONC. NO.21 TWIST | Restricted (not R-A) to 1 quart and used during off hours given flammability and toxicity |
| 19508 | DUNN EDWARDS WSPRO WB SYN-LUSTRO PREMIUM METAL PRIMER | Approved for Use at Space Park |
| 19509 | DUNN EDWARDS SSSL40 SPARTASHIELD LOW SHEEN PAINT | APPROVED FOR USE AT SPACE PARK |
| 19516 | LIPHATECH FIRST STRIKE SOFT BAIT RAT AND MICE RODENTICIDE | If product is used indoors it must be applied during off-hours. |
| 19528 | BRICKFORM M3-100 BRICKFORM SAFETY-SEAL 100 VOC | FIRE: Restricted to no more than one gallon in use at a time remainder to be stored on exterior of building. |
| 19564 | IPS SEAM-IT 2-COMPONENT SOLID SURFACE JOINT ADHESIVE 10:1 V | Restricted to one tube. Any other use must be approved on a case by case basis. |
| 19565 | OSI SEALANTS POLYSEAMSEAL 100 PERCENT SILICONE SEALANT | APPROVED FOR USE AT SPACE PARK. |
| 19569 | JOHNSON LAMINATING JOHNSON HIGH PERFORMANCE FILM | APPROVED FOR USE AT SPACE PARK. |
| 19574 | VPI 150 CONDUCTIVE EPOXY ADHESIVE PART A | APPROVED FOR USE AT SPACE PARK. |
| 19575 | VPI 150 CONDUCTIVE EPOXY ADHESIVE PART B | APPROVED FOR USE AT SPACE PARK. |
| 19576 | WM BARR KLEAN STRIP ODORLESS MINERAL SPIRITS | Approved for use at Space Park |
| 19577 | SHERWIN B31W851 PROCLASSIC INT SG ENAMEL XTRA WHITE | APPROVED FOR USE AT SPACE PARK. |
| 19588 | JR SIMPLOT BEST PLANT TAB 20-10-5 SLOW RELEASE FERTILIZER | APPROVED FOR USE AT SPACE PARK. |
| 19589 | JR SIMPLOT BEST TRIPLE TWELVE 12-12-12 GENERAL FERTILIZER | APPROVED FOR USE AT SPACE PARK. |
| 19593 | JTM PRODUCTS EASE ON WATER DISPERSIBLE PIPE JOINT LUBRICANT | Approved for use at Space Park. |
| 19594 | SCIENLAB SLS2341 SODIUM THIOSULFATE PENTAHYDRATE | Approved for use at Space Park. |
| 19595 | CARBOLINE PLMSDS0165A5NL BITUMASTIC 300 M PART A | Denied for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 19603 | RADNOR 64000120 RADNOR NOZZLE GEL | APPROVED FOR USE AT SPACE PARK |
| 19604 | RADNOR 64000100 SOLVENT BASED ANTI-SPATTER AEROSOL | Denied for use at Space Park. |
| 19611 | BASF CONSTRUCTION CHEMREX CX-941 POLYURETHANE ADHESIVE | RESTRICTED ON A CASE BY CASE BASIS. |
| 19612 | PIONEER SAWDUST SWEEP/SORB SWEEPING COMPOUND | APPROVED FOR USE AT SPACE PARK. |
| 19613 | DOW CORNING 795 SILICONE BUILDING SEALANT GRAY | Approved for use at Space Park. |
| 19617 | HILTI CP 672 FIRESTOP JOINT SPEED SPRAY | Approved for use at Space Park. |
| 19621 | CTS RAPID SET CEMENT ALL | Approved for use at Space Park. |
| 19622 | RUST-OLEUM 2524838 INVERTED MARKING SPRAY CAUTION BLUE PSU | Restricted to 1 can used outdoors and away from ventilation intakes. |
| 19623 | RUST-OLEUM 2545838 INVERTED MARKING SPRAY CAUTION YELLOW PSU | Restricted to 1 can used outdoors and away from ventilation intakes. |
| 19624 | RUST-OLEUM 2596838 INVERTED MARKING SPRAY IN CLEAR PSU | Restricted to 1 can used outdoors and away from ventilation intakes. |
| 19625 | RUST-OLEUM 207464 PRO LSPR AEROSOL FLUORESCENT GREEN MARKING | Restricted to 1 can used outdoors and away from ventilation intakes. |
| 19626 | RUST-OLEUM 255641 INVERTED MARKING SPRAY IN FLUOR PINK PSU | Restricted to 1 can used outdoors and away from ventilation intakes. |
| 19627 | RUST-OLEUM 2558838 INVERTED MARKING SPRAY IN RED-ORANGE PSU | Restricted to 1 can used outdoors and away from ventilation intakes. |
| 19628 | RUST-OLEUM 2544838 INVERTED MARKING SPRAY HI VIS YELLOW PSU | Restricted to 1 can used outdoors and away from ventilation intakes. |
| 19629 | RUST-OLEUM 2592838 INVERTED MARKING SPRAY IN WHITE PSU | Restricted to 1 can outdoors and away from ventilation intakes. |
| 19630 | RUST-OLEUM 2564838 INVERTED MARKING SPRAY IN SAFETY RED PSU | Restricted to 1 can outdoors and away from ventilation intakes. |
| 19631 | SHERWIN RECOATABLE EPOXY PRIMER PART G/H 1:1 V | Restricted to 25 gallons outdoors and away from ventilation intakes. Any other use must be reviewed on a case by case basis. |
| 19632 | MOTSENBOCKERS LIFT OFF PAINT AND VARNISH REMOVER | Restricted for use as a cured coating stripper only. |
| 19633 | SCULPT NOUVEAU SMART COAT 2K LACQUER | Approved for use at Space Park. |
| 19634 | SANCHEM NO-OX-ID PWL-600 RUST PREVENTATIVE COATING | Approved for use at Space Park. |
| 19636 | SHERWIN B97YD2467 PRO PARK MARKING PAINT YELLOW | Restricted to 1 can outdoors and away from ventilation intakes. |
| 19637 | SHERWIN B97WD2434 PRO PARK MARKING PAINT WHITE | Restricted to 1 can outdoors and away from ventilation intakes. |
| 19648 | JC WHITLAM BLUE MAGIC INDUSTRIAL GRADE PIPE THREAD COMPOUND | Denied for use at Space Park. |
| 19650 | SHERWIN B31TJ8654 SOLO S-G I/E LOW VOC ACRYLIC ENAMEL UDB | APPROVED FOR USE AT SPACE PARK. |
| 19653 | RECTORSEAL 17432 RECTORSEAL NO. 7 PIPE THREAD SEALANT | Denied for use at Space Park. |
| 19654 | GEORGE FISHER GF CONTAIN IT CARTRIDGE ADHESIVE A/B 0.9:0.1 V | Restricted one Part A and B one gallon container outdoors or used indoors during off hours. Any other use must be reviewed and approved on a case by case basis. |
| 19655 | RECTORSEAL 86625 COLD GALVANIZING SPRAY PSU | Denied for use at Space Park. |
| 19656 | RECTORSEAL BETTER BUBBLE LEAK LOCATOR | Approved for use at Space Park. |
| 19657 | RECTORSEAL 97132 PLUMBERS PUTTY | Approved for use at Space Park. |
| 19658 | RECTORSEAL 31300 TRU-BLU PIPE THREAD SEALANT | Approved for use at Space Park. |
| 19660 | RECTORSEAL 22631 NO. 100 VIRGIN PIPE THREAD SEALANT | Approved for use at Space Park. |
| 19661 | RECTORSEAL 72851 COPPER RICH HI TEMP ANTI-SEIZE LUBRICANT | Approved for use at Space Park. |
| 19662 | RECTORSEAL 55967 HEAVY DUTY 811L CPVC SOLVENT CEMENT LOW VOC | Restricted to one container used outdoors or indoors with adequate ventilation. Ensure eyewash in the area of use. Any other use must be approved on a case by case basis. |
| 19663 | RECTORSEAL 55960 HOMER 828L PVC SOLVENT CEMENT LOW VOC | Contractor to use one container outdoors or indoors with adequate ventilation. Ensure eye wash in the area of use. Any other use must be approved on a case by case basis. |
| 19664 | WOLVERINE 29777 TIN/ANTIMONY (95/5) SOLDER ALLOY | Use outdoors or indoors with local exhaust ventilation. |
| 19665 | SPEARS SB75 BLUE 75 THREAD SEALANT | Limited to one container on site at any time. Any other use must be reviewed on a case by case basis. |
| 19666 | SPEARS PVC-05 LOW VOC SOLVENT CEMENT FOR PVC PLASTIC PIPE | Limited to one container outdoors or indoors with adequate ventilation and ensure eye wash in the area of use. Any other use must be reviewed on a case by case basis. |
| 19667 | SPEARS CPVC-24 LOW VOC SOLVENT CEMENT FOR CPVC PLASTIC PIPE | Restricted to one container outdoors or indoors with adequate ventilation and ensure eye wash in the area of use. Any other use must be reviewed on a case by case basis. |
| 19668 | SPEARS PRIMER-68 LOW VOC PRIMER | Restricted to one container outdoors or indoors with adequate ventilation and ensure eye wash in the area of use. Any other use must be reviewed on a case by case basis. |
| 19675 | SHERWIN B97BD2021 PRO PARK MARKING PAINT BLACK | Approved for use at Space Park |
| 19676 | SHERWIN B97LD2022 PRO PARK MARKING PAINT BLUE | Approved for use at Space Park |
| 19679 | AOC K022-CCC-00/NORAC NOROX MEKP-925-H RESIN/CATALYST 6:1 V | Restricted to 7 ounce mixture on site. Ensure eye wash shower in the immediate area as capable causes blindness. Any other use must be reviewed on a case by case basis. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 19680 | HILTI CF 810 CRACK AND JOINT FOAM | Restricted to outdoor use or indoors during off hours. Limited to 4 23 ounce containers. Any other use must be reviewed on a case by case basis. |
| 19688 | AKZO NOBEL 3537 GLIDDEN ULTRA HIDE INT/EXT OIL/ALKD SG PAINT | Restricted to outdoors or indoors during NGAS off-hours. Any other use must be approved for use on a case by case basis. |
| 19690 | DESIGN POLYMERICS DP 3040 WATER BASED VAPOR BARRIER COATING | Approved for use at Space Park. |
| 19693 | SHERWIN A24W8300 LOXON CONCRETE AND MASONRY PRIMER WHITE | Approved for use at Space Park. |
| 19694 | SHERWIN A24W451 LOXON XP WATERPROOF COATING WHITE | Approved for use at Space Park. |
| 19695 | STONHARD STONSET PM5 GROUT KIT A/B 1:1 V (USE CRP 19271) | Restricted to off hours or outdoor use. Ensure eye wash and shower in the area of use. Any other use must be reviewed on a case by case basis. |
| 19705 | MANUS PRODUCTS MANUS-BOND 75-AM ELASTOMERIC ADHESIVE | Approved for use at Space Park. |
| 19707 | DOW CORNING 03138500 999A SILICONE GLAZING SEALANT ALUMINUM | Approved for use at Space Park. |
| 19708 | WAXIE PURE REFLECTION FLOOR FINISH | Approved for use at Space Park. |
| 19710 | DUNN-EDWARDS SPMA40 SUPREMA LOW SHEEN PAINT (USE CRP 24211) | Approved for use at Space Park. |
| 19711 | ONE SHOT 102-L LETTERING ENAMEL IN FIRE RED | Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis. |
| 19712 | ONE SHOT 103-L LETTERING ENAMEL IN POLAR WHITE | Restricted to 3 quarts indoors or outdoors. Any other use must be submitted for review on a case by case basis. |
| 19713 | ONE SHOT 104-L LETTERING ENAMEL IN BRIGHT RED | Restricted to 3 quarts indoors or outdoors. Any other use must be submitted for review on a case by case basis. |
| 19714 | ONE SHOT 115-L LETTERING ENAMEL IN DARK BROWN | Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis. |
| 19715 | ONE SHOT 155-L LETTERING ENAMEL IN REFLEX BLUE | Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis. |
| 19716 | ONE SHOT 158-L LETTERING ENAMEL IN DARK BLUE | Restricted to 3 quarts outdoors and indoors. Larger quantity must be submitted for review on a case by case basis. |
| 19717 | ONE SHOT 195-L LETTERING ENAMEL IN MEDIUM GRAY | Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis. |
| 19718 | ONE SHOT 199-L LETTERING ENAMEL IN BLACK | Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis. |
| 19722 | WEST SYSTEM 650 G/FLEX EPOXY RESIN/HARDENER A/B 1.2:1 V | Approved for use at Space Park. |
| 19723 | CHEM LINK M-1 STRUCTURAL SEALANT | Approved for use at Space Park. |
| 19725 | COOPER CROUSE HINDS HTL4 HIGH TEMPERATURE THREAD LUBRICANT | Approved for use at Space Park. |
| 19731 | PPG AMV-T1A/01 AMERSHIELD VOC DEEP TINT RESIN | Restricted to 1 gallon outdoors. Any other use must be submitted for review on a case by case basis. |
| 19752 | ESAB AWS A5.1 A 5.5 ATOM ARC LOW HYDROGEN WELDING ELECTRODES | Use indoors off-hours and with local exhaust. |
| 19791 | TREMCO VULKEM 360 NF SL POLYURETHANE BASECOAT | Restricted to 5 gallons outdoor use only. Any other use must be submitted for review on a case by case basis. |
| 19792 | TREMCO VULKEM 951 NF CLEAR TOPCOAT/CATALYST 3.75:0.85 V | Restricted to 5 gallons used outdoors only given toxicity. Any other use must be submitted for review on a case by case basis. |
| 19797 | SUNSHINE 18300 SIMPLE GREEN STAINLESS STEEL ONE-STEP CLEANER | Approved for use at Space Park. |
| 19841 | BAYER 102000002537 DRIONE INSECTICIDE | Restricted to 16 ounces per year. Any other use must be reviewed and approved on a case by case basis. |
| 19850 | CONTROLLED RELEASE INSTANT POWDER KEGS | Restricted submit for review on a case by case basis. |
| 19851 | NU-CALGON 4171 EVAP FOAM NO RINSE COIL CLEANER AEROSOL | Restricted submit for review on a case by case basis. |
| 19852 | BIO-CIDE OXINE ANTIMICROBIAL PESTICIDE | Approved for Space Park use |
| 19856 | BASF [WHITMORE MICRO-GEN] 413973 WASP FREEZE | Approved for use at Space Park. |
| 19857 | LIPHATECH GENERATION MINI BLOCKS | If product is used indoors it must be applied during off-hours. |
| 19858 | BASF 256709 TERMIDOR 9.1 PERCENT SC | Approved for use at Space Park. |
| 19859 | BASF CY-KICK CS INSECTICIDE | If product is used indoors it must be applied during off-hours. |
| 19860 | UNIVAR MASTERLINE BIFENTHRIN 7.9 TERMICIDE/INSECTICIDE | Submit for review on a case by case basis.. |
| 19861 | DUPONT M0000641 ADVION ANT BAIT ARENA | Approved for use at Space Park. |
| 19862 | DUPONT 130000036528 ADVION ANT GEL | Approved for use at Space Park. |
| 19863 | DUPONT M0000642 ADVION COCKROACH BAIT ARENA | Approved for use at Space Park. |
| 19864 | FMC 6545 CB-80 INSECTICIDE | Restricted to 16 ounces at any time on site. Any other use must be submitted for review on a case by case basis. |
| 19872 | EXXON MOBIL 478669-0 CAT DEO 15W-40 DIESEL ENGINE OIL | Approved for use at Space Park. |
| 19873 | CHEVRON TEXACO 07962 CAT DEAC PREMIX 50/50 | Approved for use at Space Park. |
| 19874 | VALSPAR 082.2223111 BATTERY CLEANER CATERPILLAR PSU | Restricted to 12 ounce can. Any other larger quantity must be submitted for review on a case by case basis. |
| 19876 | MX FACTOR 15606-CA BRAKE PARTS CLEANER PSU | Restricted to 12 ounce can at any time on site. Any other larger quantity must be submitted for review on a case by case basis. |
| 19879 | MCLAUGHLIN PYROCIDE 100 | Restricted for outdoor use or indoors during off hours. |
| 19903 | CTS RAPID SET CONCRETE MIX | Space Park Site: Restricted to mixing outdoors only. Any other use must be approved on a case by case basis. |
| 19920 | LATICRETE 9235 WATERPROOF MEMBRANE | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|---|---|
| 19929 | HENKEL LOCTITE 641 RETAINING COMPOUND | Approved for use at Space Park. |
| 19933 | ZEP 0030 ZEP 70 AEROSOL PENETRATING LUBRICANT PSU | Approved for use at Space Park |
| 19934 | ZEP F500 FORMULA 50 RTU CLEANER | Restricted to a case by case basis. |
| 19935 | ALMATIS 149 ACTIVATED ALUMINA | Approved for use at Space Park. |
| 19936 | BONSAL SAKRETE 5000 PLUS HIGH STRENGTH CONCRETE MIX | Approved for use at Space Park. |
| 19937 | SHERWIN S00740 SPRAYON ZINC-RICH COLD GALVANIZING CMPD PSU | Restricted to 1 16 ounce can. Any other use must be reviewed on a case by case basis. |
| 19940 | MAGNAFLUX MAGNETIC RED PARTICLES 8A | Approved for use at Space Park. |
| 19961 | SCIENCLAB SLI1153 ISOPROPYL ALCOHOL DILUTED W/DI WATER 3% | Restricted to 3 gallons outdoors. Any other use must be submitted for review on a case by case basis. |
| 19967 | BOSTIK BIG TILE AND STONE SERIES CEMENT | Mixing is restricted outside of buildings and away from ventilation intakes. Given corrosive nature of the product and causes blindness ensure eyewash station and shower within 10 seconds of use. |
| 19968 | BOSTIK D63090 60L LATEX UNDERLAYMENT LIQUID | Approved for use at Space Park. |
| 19972 | FIRE PROTECTION 03-150-00 LUBEFIT PIPE JOINT LUBRICANT | Approved for use at Space Park. |
| 19973 | WS DODGE THREAD GAIN 200-X OR 200-XL LUBRICANT | Approved for use at Space Park. |
| 19976 | ROCKWELL LABS INVADE BIO FOAM HOT SPOT | Approved for use at Space Park. |
| 19988 | ATLAS COPCO 0017560633 ROTO GLIDE GREEN | Approved for use at Space Park |
| 19990 | ATLAS COPCO ROTO Z COMPRESSOR OIL | Approved for use at Space Park. |
| 19991 | ATLAS COPCO 0017520120 ROTO-XTEND DUTY FLUID COMPRESSOR OIL | Approved for use at Space Park. |
| 20002 | FORBO FLOORING FORBO L 885 ADHESIVE | Approved for use at Space Park. |
| 20003 | GRABBER GGEFC10 GRABBERGUARD EFC FIRE CAULK | Approved for use at Space Park. |
| 20007 | THERMAFIBER BONDED PRODUCTS INSULATION | Approved for use at Space Park. |
| 20008 | CERTAINTED COMMERCIAL INSULATION | Approved for use at Space Park. |
| 20050 | IPS WELD-ON 714 LOW VOC CEMENT FOR CPVC PLASTIC PIPE | Restricted to 1 quart indoors. Any other use shall be reviewed and approved on a case by case basis. Ensure eye wash station in the area of use. |
| 20073 | HSI FIRE AND SAFETY (CHICAGO) SMOKECHECK 25S AEROSOL | Restricted to no more than two cans in the building. The rest of product to be stored outside. |
| 20079 | 3M FIRE BARRIER 2000+ PREMIUM SILICONE SEALANT | Approved for use at Space Park. |
| 20088 | MILL-ROSE BLUE MONSTER PIPE THREAD SEALANT | Restricted to 1 quart indoors and unlimited storage in an approved fire cabinet. |
| 20089 | MONOPOLE 2700 DEX COAT CLEAR AND COLORS | APPROVED FOR USE AT SPACE PARK. |
| 20130 | ARKEMA FORANE 407C REFRIGERANT | Approved for use at Space Park |
| 20138 | NUSIL CV-2289-1 SILICONE PART A/B 1:1 W | Approved for use at Space Park. |
| 20139 | STONHARD 777D STONEFLEX MP7 SURFACE TREATMENT | Approved for use at Space Park |
| 20143 | AKZO NOBEL LN-903 LIQUID NAILS HD CONSTRUCTION ADHESIVE | Approved for use at Sapce Park |
| 20146 | JOHNSON CONTROLS YORK K OIL | Approved for use at Space Park. |
| 20147 | GRABBER GGIFC29 GRABBERGUARD IFC FIRE CAULK | Approved for use at Space Park. |
| 20148 | BAYER 102000011452 PREMISE FOAM INSECTICIDE | Approved for use at Space Park. |
| 20149 | PERMA-LINER INDUSTRIES PERMA-LINER RESIN PART A/B 2:1 V | Approved for use at Space Park. Ensure eyewash and shower in area of use. |
| 20171 | TREMCO 960712 DYMONIC FC SEALANT IN GRAY | Restricted to outdoor use only. Any other use must be approved on a case by case basis. |
| 20172 | PRAXAIR HELISTAR A1025 HELIUM/ARGON/CARBON DIOXIDE MIXTURE | Approved for use at Space Park. |
| 20173 | PRAXAIR PRS50002 PROSTAR NOZZLE TIP DIP | Approved for use at Space Park. |
| 20178 | WF TAYLOR 1N-1 TOUCHDOWN NO 1 CONTACT CEMENT HIGH FLASH | Restricted to 4 gallons off hours with adequate ventilation. Any other use must be submitted for review on a case by case basis. |
| 20197 | HARRIS PRODUCTS ER309L WELDING STAINLESS STEEL WIRE OR ROD | Restricted to welding outdoors only. Any other use must be submitted for review on a case by case basis. |
| 20199 | RUST-OLEUM 2578838 PRO LSPR STRIPING PAINT BLACK AEROSOL | Restricted to 2-15 ounce containers and for outdoor use only. Any other use must be submitted for review on a case by case basis. |
| 20208 | WJ RUSCOE P-44 PAN-L-BOND URETHANE ADHESIVE | Restricted to off hour use with adequate local exhaust ventilation. |
| 20209 | HILTI HIT-HY 150 MAX RESIN/HARDENER FOIL PACK CARTRIDGE | Approved for use at Space Park. |
| 20228 | SHERWIN B20W2651 PROMAR 200 ZERO VOC LATEX EG EXTRA WHITE | Approved for use at Space Park. |
| 20236 | SHERWIN A24W100 LOXON MASONRY COATING SYSTEMS CONDITIONER | Approved for use at Space Park. |
| 20238 | SHERWIN A5W151 SHERLASTIC COATING XTRA WHITE TINTING BASE | Approved for use at Space Park. |
| 20253 | DAP ELASTOPATCH FLEXIBLE PATCHING COMPOUND | Restricted to 1 55 pound container when used indoors. Any other use must be submitted for review on a case by case basis. |
| 20254 | OMEGA PRODUCTS STYROGLUE DRYBOND CEMENT ADHESIVE | Restricted to outdoor mixing. Any other use must be submitted for use on a case by case basis. |
| 20259 | SIKA SIKADUR 31 HI MOD GEL ADHESIVE A/B 1:1 V | Restricted to outdoor use only. Any other use must be approved on a case by case basis. |
| 20260 | SIKA SIKADUR 32 HI MOD LPL ADHESIVE A/B 1:1 V | Restricted to outdoor use only. Any other use must be submitted for review. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 20261 | SUNOCO ACETONE | Restricted to 1gallon use outdoors and up to 5 gallons in storage. Any other use must be submitted for review on a case by case basis. |
| 20262 | SIKA ARMATEC 110 EPOCEM COATING PART A/B/C 1:1:1 W | Outdoor use only. Any other use must be submitted for use on a case by case basis. |
| 20296 | RUG DOCTOR ANTI-ALLERGEN CARPET CLEANER | Approved for use at Space Park. |
| 20316 | STONHARD STONCHEM 310 RESIN/AMINE/AGGREGATE 1:1:1 V | Restricted to outdoor use only. Any other use must be reviewed and approved by ESH. |
| 20333 | UNISOURCE U23001/U23002 CLING BRITE CLEANER DEODERIZER | Restricted to outdoor use or diluted for indoor use. Mix outdoors. Ensure eye wash and shower in the area of use. Any other use must be submitted for review on a case by case basis. |
| 20340 | PECORA DYNATRED POLYURETHANE SEALANT BA/AC 1:1 V | Restricted to outdoor use only and away from ventilation intakes. Any other use must be submitted for review on a case basis. |
| 20347 | STONHARD 52313 STONCHEM EPOXY PRIMER AMINE/RESIN 1:1 V | Restricted to outdoor use only. Any other use must be reviewed on a case by case basis. |
| 20395 | DESIGN POLYMERICS DP 2540 BLACK PROTECTIVE COATING | Contractors to comply with their hazard communication program wear PPE in accordance with MSDS and ensure adequate ventilation so as to not expose NG employees. |
| 20396 | MONOPOLE 5800 ULTRA-PRIME DECK PRIMER | Approved for use at Space Park. Contractor shall comply with their Hazard Communication Program wear PPE in accordance with MSDS and ensure adequate ventilation so as to not to expose NG employees. |
| 20409 | ENNIS WATERBORNE LF FAST DRY TRAFFIC PAINT (ALL COLORS) | Restricted to outdoor use only. Any other use must be reviewed on a case by case basis. Ensure eye wash station within 100 feet of use. |
| 20417 | SHERWIN B66T654 PRO IND 0 VOC ACRYLIC COAT S/G UDB | Approved for use at Space Park |
| 20422 | MAINTEx 1518 IMPACT EES EXTRACTION SOLUTION | Approved for use at Space Park. |
| 20445 | WILSONART DECORATIVE LAMINATE (ALL GRADES) | Approved for use at Space Park. |
| 20446 | NEVAMAR HIGH PRESSURE DECORATIVE LAMINATE | Approved for use at Space Park. |
| 20447 | SHERWIN B65W721/B65V720 ACROLON 100 HS WB TINT BASE 4:1 V | Approved for use at Space Park |
| 20448 | SHERWIN B28W2600 PROMAR 200 INT LATEX PRIMER WHITE | Approved for use at Space Park |
| 20449 | SHERWIN B65T724/B65V720 ACROLON 100 HS WB CLEAR A/B 4:1 V | Restricted to outdoor use with ventilation intakes covered. Any other use must be approved on a case by case basis. |
| 20450 | SHERWIN B42W200/B42V201 CEMENT-PLEX 875 FILLER A/B 1:1 V | Approved for use at Space Park. |
| 20460 | TREMCO DEV1440DC805 DEV ROCK-IT WB ADHESIVE | Restricted to off-hour use only and cover ventilation with carbon filters. |
| 20496 | ADVANCED COATING ACU-SHIELD COATING | Approved for use at Space Park. |
| 20528 | CUSTOM AEROSOL 27-XXXXXX ALL COLORS ACRYLIC LACQUER PSU | Restricted for use outdoors only and on a case by case basis. |
| 20549 | CLAUSEN ALL PURPOSE SPOT REMOVER | Approved for use at Space Park. |
| 20562 | MAINTEx 1510 DRI-FAS CARPET SHAMPOO | Restricted to dilution of one part carpet shampoo to 10 parts water. |
| 20563 | MAINTEx 1127 GROUT BRIGHTENER | Approved for use at Space Park as long as eye wash in the immediate area of product use. |
| 20564 | LAGASSE A00183 BOARDWALK GUM BUSTER GUM REMOVER | Denied for use at Space Park. |
| 20565 | MAINTEx 1122 FAST-ACTION OVEN AND GRILL CLEANER | Approved for use as long as eye wash station in the immediate area of use. |
| 20566 | CLAIRE 810 FURNITURE POLISH AEROSOL PSU | Denied per fire. |
| 20663 | WF TAYLOR 2027-4 ENVIROTEC PRESSURE SENSITIVE ADHESIVE | Approved for use at Space Park. |
| 20677 | AMERICAN ATI SUPER HEAVY DUTY ALL PURPOSE ADHESIVE SPRAY PSU | DENIED FOR USE AT SPACE PARK. |
| 20678 | FIBERLOCK 8361 IAQ 6100 CLEAR MOLD RESISTANT COATING | Approved for use at Space Park. |
| 20715 | ALFA AESAR A14253 DIMETHYL PHTHALATE | RESTRICTED FOR R&D OR ANALYTICAL USE ONLY |
| 20717 | ALFA AESAR A14498 DIETHYL OXALATE | Approved for use at Space Park. |
| 20736 | DEB AZURE FOAM WASH | Approved for use at Space Park. |
| 20738 | DEB USA INSTANTFOAM ALCOHOL HAND SANITIZER | Restricted 2 gallons in use within any building. |
| 20739 | DEB USA GRITTYFOAM HAND CLEANER | Approved for use at Space Park. |
| 20854 | NPS 4100 SERIES SPILLFYTER KOLORSAFE LIQUID ACID NEUTRALIZER | Approved for use at Space Park. |
| 20855 | NPS 4300 SERIES SPILLFYTER KOLORSAFE LIQUID BASE NEUTRALIZER | Approved for use at Space Park |
| 20856 | BERKSHIRE SATPAX 6% IPA / 94% DI H2O CLOTH WIPERS | Restricted to 500 ml IPA on wipes on site. Any other quantity of wipe use must be approved on a case by case basis. |
| 20857 | SCIENCLAB SLM2626 METHYL ETHYL KETONE | Restricted to 500 ml on site. Any larger quantity must be reviewed on a case by case basis. |
| 20859 | BAYER DELTADUST INSECTICIDE | Restricted to off hours use only for indoor application. |
| 20860 | ENVINCIO 655-802 PRENTOX LARVA-LUR CONTAINS PROPOXUR | Approved for use at Space Park. |
| 20864 | WORTHINGTON MAP-PRO PREMIUM HAND TORCH FUEL | Accepted for welding only. |
| 20888 | HILTI HIT-HY 200-R ADHESIVE ANCHORING SYSTEM CARTRIDGE | Approved for use at Space Park |
| 20936 | BASF PT B ALPINE FLEA INSECTICIDE WITH IGR AEROSOL | Restricted to storage of 1 gallon and not used when the room is occupied. Ensure ventilation is controlled to other areas. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 20949 | CIM INDUSTRIES CIM 1061 COATING PREMIX/ACTIVATOR 6.2:1 W | Restricted to outdoor use only and away from ventilation intakes. Contractors must strictly adhere to ventilation in confined space and PPE requirements and experienced in underground tank coating applications. |
| 20951 | HENKEL SOFT SCRUB WITH BLEACH DISINFECTANT CLEANSER | Approved for use at Space Park |
| 20956 | VPI 165 CONDUCTIVE ADHESIVE | Approved for use at Space Park |
| 20976 | XL BRANDS GOLD STIX AQUEOUS ADHESIVE | Approved for use at Space Park. |
| 20980 | SPEC MIX TYPES M/S/N SPEC MIX MORTAR CEMENT AND SAND MORTAR | Restricted to mixing outdoors and away from ventilation intakes. |
| 20981 | JAMES HARDIE HARDIEBACKER 500 CEMENT BOARD | Restricted to mixing outdoors in a well ventilated area. |
| 20982 | CUSTOM BUILDING FUSION PRO SINGLE COMPONENT GROUT | Restricted to mixing outdoors and away from ventilation intakes. |
| 20995 | MOMENTIVE IS806 SILICONE SEALANT | Approved for use at Space Park. |
| 21007 | PTM & W PT4420A/PT4420B RESIN/HARDENER 100:8.5 W | Eye wash shower within 10 seconds of use. Approved for use at Space Park. |
| 21033 | CLEAN SWEEP TOUGH GUY OIL BASE SWEEPING COMPOUND RED | Approved for use at Space Park |
| 21046 | DPL ENTERPRISES SPORICIDIN (DISINFECTANT SOLUTION) | Approved for use at Space Park. |
| 21047 | DPL ENTERPRISES COIL BRITE II | Approved for use at Space Park. |
| 21048 | DPL ENTERPRISES DYNAMITE | Approved for use at Space Park. |
| 21054 | OATEY H-20-95 WATER SOLUBLE TINNING FLUX (LEAD-FREE) | Approved for use at Space Park. Ensure eyewash and washing facilities within 10 seconds of use. |
| 21057 | QUAKER 014113-13 QUINTOLUBRIC 888-46 | Approved for use at Space Park. |
| 21063 | SHERWIN B90T104 ARMORSEAL TREAD-PLEX FLOOR COATING | Approved for use at Space Park |
| 21076 | 3M SUPER 77 (CA) AEROSOL SPRAY LOW 25 PERCENT VOC | Approved for use off-hours given odor |
| 21093 | VALERO DIESEL FUEL NO 2 | Product is restricted for review on a case by case basis based to assess location and quantity of use. |
| 21100 | E-Z MIX PRE-MIX PRODUCTS SPEC CONCRETE 3000 (70/30) | . Any other use must be reviewed on a case by case basis. |
| 21104 | WHITE CAP BRIGADE WAX BASED FLOOR SWEEPING COMPOUND | Approved for use at Space Park. |
| 21110 | GRABBER GB20631 GRABBER CLEAR INVERTED TIP MARKER PSU | Restricted to outdoor use only. |
| 21120 | CUSTOM BUILDING POLYBLEND CERAMIC TILE CAULK SANDED | Approved for use at Space Park |
| 21121 | LATICRETE 220 MARBLE AND GRANITE MORTAR | Approved for mixing outdoors. |
| 21122 | HENKEL 1514750 LOCTITE POLYSEAMSEAL ALL PURPOSE CAULK WHITE | ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS |
| 21123 | MIRACLE SEALANTS GROUT SHIELD STAIN RESISTANT GROUT ADDITIVE | Approved for use at Space Park. |
| 21133 | MANNINGTON V-82 COMMERCIAL FLOORING ADHESIVE | Approved for use at Space Park. |
| 21136 | WYO-BEN LYNCOLE XIT GROUNDING LYNCONITE II BACKFILL MATERIAL | Restricted to off hour use indoors. |
| 21145 | FIRE PROTECTION PIPEFIT THREAD SEALING PASTE | Approved for use at Space Park. |
| 21148 | RUST-OLEUM 2558838 INVERTED MARKING PAINT FLOU ORANGE PSU | Denied for use at Space Park. |
| 21150 | RUST-OLEUM J2850822 QUICK COLOR SPRAY PAINT GLOSS WHITE PSU | Denied for use at Space Park. |
| 21151 | AERVOE 214-219 AERVOE INVERTED MARKING CHALK PSU | Restricted for outdoors use only. |
| 21152 | RUST-OLEUM J2851830 QUICK COLOR SPRAY PAINT GLOSS BLACK PSU | Denied for use at Space Park. |
| 21153 | CL WARD BUTYL GASKET TAPE ADHESIVE | Approved for use at Space Park. |
| 21154 | T CHRISTYS PRO-LUBE | Approved for use at Space Park. |
| 21160 | RELTON 08Z-NRTP NEW RAPID TAP PASTE | Approved for use at Space Park. |
| 21164 | DUNN EDWARDS SPMA10-1 SUPREMA INTERIOR FLAT PAINT | Approved for use at Space Park. |
| 21166 | ITW CHEMTRONICS ES6100 ELECTRO-WASH VZ CLEANER DEGREASER | Denied for use at Space Park. |
| 21167 | RIDGE TOOL 22088 RIDGID EXTREME PERF THREADING OIL PSU | Denied for use at Space Park. |
| 21168 | VICTOR EQUIPMENT MAP-PRO PREMIUM HAND TORCH FUEL | Approved 1-14 ounce bottle anytime in the building. Any other use must be reviewed on a case by case basis. |
| 21170 | OMEGA POLYLOC (PVA BONDER) BONDCRETE | Approved for use at Space Park. |
| 21171 | AMERIGAS ODORIZED COMMERCIAL PROPANE | Restricted as it requires issuance of a Hot Work Permit BEFORE use. Approved for use of one 5 pound container inside a building at any time due to flammability. Any other use must be reviewed on a case by case basis. |
| 21172 | UNITED STATES GYPSUM STRUCTO-LITE BASECOAT | Restricted to outdoor mixing only. Any other use must be approved on a case by case basis. |
| 21173 | TOP INDUSTRIAL RAINBUSTER 900 (ALL COLORS/PACKS) SEALANT | Approved with restriction of 1 300 ml tube used off hours use indoors only. Any other use must be reviewed on a case by case basis. |
| 21174 | LPS (PT TECH) 61105 TECHLUBE HD | Approved for use at Space Park. |
| 21175 | OMEGA INTERIOR 2N1 | Approved for use if mixed outdoors and away from ventilation intakes. Any other mixing locations must be reviewed on a case by case basis. |
| 21176 | OMEGA COLOR TEK EXTERIOR FINISH | Approved for mixing outdoors. Any other use must be reviewed on a case by case basis. |
| 21177 | CHEVRON BENZENE TOULENE XYLENE(BTX)/HYDROGENATED PYGAS(HPG) | Restricted for use outdoors up to 5 gallons. Any other use must be reviewed on a case by case basis. |
| 21183 | MATHESON MAT04260 CARBON DIOXIDE GAS | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|---|---|
| 21186 | QUIKRETE 1006-80 CRACK RESISTANT CONCRETE MIX | Approved for use if mixed outdoors and away from ventilation intakes. Any other use must be reviewed on a case by case basis. |
| 21187 | QUIKRETE 1007 QUIKRETE 5000 CONCRETE MIX | Approved for mixing outdoors. Any other use must be reviewed on a case by case basis. |
| 21188 | QUIKRETE 1701-58 ASPHALT PATCH | Approved if used outdoors. Any other use must be reviewed on a case by case basis. |
| 21189 | QUIKRETE 9800 CONCRETE MIX ACCELERATOR | Approved if mixed outdoors. Any other use must be reviewed on a case by case basis. |
| 21191 | AMERICAN POLYWATER TYPE HP CLEANER DEGREASER | Denied for use at Space Park. |
| 21192 | LUCAS MILHAUPT CLEAN N BRITE SILVER-TIN ALLOY | Approved for use at Space Park. |
| 21193 | NARCO CHM00276 TRANE SPRAY LEAK DETECTOR | Approved for use at Space Park. |
| 21194 | KANO PENEPHITE PENETRANT | Approved for use at Space Park. |
| 21196 | APEX ENGINEERING RYDLYME WATER SCALE CLEANER | Approved for use at Space Park. |
| 21197 | NARCO CHM00512 TRANE E-SOLV DEGREASER/CLEANER | Denied for use at Space Park |
| 21199 | NEXEO 23930 CSM M723A 1.5 OC 38 IN FIBERGLASS MAT | Approved for use at Space Park. |
| 21200 | ASHLAND DERAKANE 510 B-400 P EPOXY VINYL | Approved for use at Space Park. |
| 21204 | ZEP COMMERCIAL HDSWEEP SWEEPING COMPOUND | Approved for use at Space Park. |
| 21211 | RHH VERSI-FOAM SYSTEM 15 CLASS I SLOW RISE A/B 1:1 V | Approved for use at Space Park for outdoor mixing and indoor off hour use. Any other use must be reviewed on a case by case basis. |
| 21212 | DOW CORNING 786 SILICONE SEALANT -M WHITE | Approved for use at Space Park. |
| 21213 | JOHNS MANVILLE ZESTON PERMA-WELD ADHESIVE | Denied for use at Space Park |
| 21214 | SUNSHINE 11001 SIMPLE GREEN CLEAN BUILDING CLNR CONCENTRATE | Approved for use at Space Park. Eye wash shall be in the immediate area of use. |
| 21215 | ZEP ZU0856 INDUSTRIAL PURPLE CLEANER CONCENTRATE | Approved for use at Space Park. Ensure eyewash in the immediate area of use. |
| 21216 | MICRONOVA NOVAHOL HARD SURFACE CLEANER DEGREASER | Restricted to one 1 Gallon container in use with remainder to be stored in an approved Hazardous Material Cabinet |
| 21222 | RUST-OLEUM 7584838 PRO FLAT BRIGHT GALVANIZING COMPOUND PSU | Approved 1 20 ounce can outdoors and downwind of ventilation intakes. Any other use must be reviewed and approved on a case by case basis. |
| 21226 | RUST-OLEUM 7585838 PRO FLAT COLD GALVANIZING COMP AEROSOL | RESTRICTED to one can; for outdoor use only. Refer to Action Summary H&S section for more info. |
| 21237 | CLIFT INDUSTRIES BIOREM-2000 SURFACE CLEANER | Approved for use at Space Park. |
| 21256 | RUST-OLEUM 1945502 PAINTERS TOUCH GLOSS SUN YELLOW AEROSOL | Approved for use at Space Park. |
| 21259 | JB WELD 8267-S STEELSTIK/J-B STIK EPOXY PUTTY | Approved for use at Space Park. |
| 21260 | SHERWIN-WILLIAMS B40WJ9850 SONORAN I/E ACRYLIC S-G WHITE | APPROVED FOR USE AT SPACE PARK |
| 21261 | SHERWIN A76T54 SOLO I/E ACRYLIC S-G ULTRA DEEP BASE | Approved for use at Space Park. |
| 21265 | LA-CO MARKAL COOL GEL HEAT DISSIPATING GEL | Approved for use at Space Park. |
| 21267 | ZEP ZUABS INSTANT SPILL ABSORBER | Approved for use at Space Park |
| 21275 | NAMICS XH9890-6A THERMALLY CONDUCTIVE ADHESIVE | Approved for use at Space Park |
| 21282 | TARKETT JOHNSONITE 996 EPOXY ADHESIVE PART A/B 1:1 V | Approved for use at Space Park |
| 21294 | ADVANCED CHEMICAL CT-810 ALKALINE CLEANER 1:100 WATER | Approved for use at Space Park. |
| 21295 | ADVANCED CHEMICAL CL-130 CLEANER (GRANULES) | Approved for use at Space Park and ensure eye wash and shower in the immediate area of use.. |
| 21296 | TENNANT ECO-SHIELD HIGH WEAR EPOXY A/B/C 1:1:1 V | Approved for use at Space Park when mixed outdoors. Contractor to provide eye wash and have available ample water for 15 minute flushing for potential skin contact in the area of use. |
| 21320 | TENNANT ECO-HTS 100 SATIN URETHANE TOPCOAT 1:0.25:0.2 V | Space Park restricted use to off-hours only. |
| 21351 | EUCLID CHEMICAL 4505 EUCO SOLVENT | Restricted when non-occupied by NG workers and enhance ventilation in work area to minimize exposure. |
| 21353 | EUCLID CHEMICAL 452 EPOXY SYSTEM LV PART A/B 2:1 V | Approved for use at Space Park. |
| 21372 | CARROLL W03 WINDA SHINE GLASS HARD SURFACE CLEANING WIPE | Approved for use at Space Park. |
| 21389 | NU-CALGON 4369-75 AEROSOL SPRAY-N-BOND | AUTHORIZING ONE 12 OUNCE AEROSOL CAN ON SITE GIVEN FLAMMABILITY OF SOLVENTS. |
| 21396 | BASF CHEMREX LEVELPREP RAPID-SETTING SURFACE UNDERLAYMENT | Mixing restricted to outdoors only. |
| 21397 | WF TAYLOR 2091 META-TEC TUFF-GRIP TILE/PLANK TPS ADHESIVE | Approved for use at Space Park |
| 21405 | MASTER COATINGS METAL BY ZOLATONE | Approved for use at Space Park. |
| 21409 | ANVIL GRUVLOK STANDARD LUBRICANT | Approved for use at Space Park. |
| 21410 | ANVIL GRUVLOK XTREME TEMPERATURE LUBRICANT | Approved for use at Space Park. |
| 21411 | ANVIL GRUVLOK QUIK DRY LUBE | Approved for use at Space Park. |
| 21414 | AMERICAN POLYWATER CLR CLEAR LUBRICANT | Approved for use at Space Park |
| 21431 | LONSEAL PREMIUM BOND 755 SHEET VINYL ADHESIVE | Approved for use at Space Park. |
| 21432 | LONSEAL LONSEALER TYPE A PVC COLD WELDING | Restricted for use per project and up to 5 ounces indoors with adequate ventilation based on a case-by-case basis. Larger quantities must be reviewed for use. |
| 21433 | LONSEAL LONCARE DAMP MOP PH NEUTRAL CONCENTRATE | Approved for use at Space Park. |
| 21434 | LONSEAL LONPRIME BASE SEAL COAT | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 21435 | LONSEAL LONFINISH ULTRA HIGH SPEED FINISH | Approved for use at Space Park. |
| 21436 | LONSEAL LONSATIN MATTE FLOOR FINISH | Approved for use at Space Park. |
| 21437 | ARMSTRONG S-288 RESIDENTIAL FLOORING ADHESIVE | Approved for use at Space Park. |
| 21438 | MOHAWK ENPRESS PSA FLOORING ADHESIVE | Approved for use at Space Park. |
| 21448 | PFI 3-WE-1711 SAFETY YELLOW PAINT (EXTREME HIGH GLOSS) | Approved for use at Space Park. |
| 21449 | PFI 2-WP-1757 WATER-BASE WHITE PRIMER PAINT | Approved for use at Space Park. |
| 21473 | SHERWIN B28W8111 PREMIUM WALL AND WOOD PRIMER LATEX WHITE | Approved for use at Space Park. |
| 21474 | SHERWIN B21W2251 PROMAR 200 LATEX ENAMEL GLOSS EXTRA WHITE | Approved for use at Space Park. |
| 21475 | HB FULLER 830507PM DD (DOUBLE DOWN) PREMIUM ADHESIVE | Approved for use at Space Park. |
| 21491 | AZON USA AZO-GROUT 424/AZO-CAT 25 BASE/CAT/WATER 100:10:5 W | Restricted to injection application and only during off hours. |
| 21498 | TREMCO VULKEM 801 ALUMINIZED COATING GRAY | Restricted to outdoor use only and close fresh air intakes of AC units. DO not expose NGC personnel to vapors mists dust. Contractor to remove all containers from site (full partial or empty) |
| 21521 | KOSTER KOSTER VAP I 2000 ADHESIVE PART A/B 2.4:1 V | Approved for use at Space Park and ensure eye wash and ample water to flush the affected area for at least 15 minutes. |
| 21527 | LINCOLN EXCALIBUR STAINLESS MANUAL ELECTRODES | Restricted for use in permitted fixed site welding area or with a valid Hotwork permit. |
| 21541 | VISTA 6900 TRAFFIC PAINT FAST DRY WHITE | Approved for use at Space Park and Palmdale |
| 21542 | VISTA 6901 TRAFFIC PAINT FAST DRY YELLOW | Approved for use at Space Park. |
| 21543 | HOMAX 2416 SMOOTH ROLL ON TEXTURE | Approved for use at Space Park. |
| 21544 | HOMAX 2417 SAND ROLL ON TEXTURE | Approved for use at Space Park. |
| 21545 | HOMAX 2418 COARSE ROLL ON TEXTURE | Approved for use at Space Park. |
| 21546 | SHERWIN DV6/DV12/DV16 MASTER BLEND EZ TOUCH DV CAN BLACK | Approved for one time use. Any other use will require a new review. |
| 21563 | TRELLEBORG WAYLOCK II ADHESIVE PART A/B 1:1 V | Approved for use at Space Park with adequate ventilation and no more than a total of 2 quarts |
| 21572 | TRELLEBORG S26263 (WAYCLEAN II) WAYPREP INDUSTRIAL DEGREASER | Approved for use at Space Park. |
| 21573 | IPS WELD-ON 750 HOTWELD LOW VOC CEMENT FOR PVC PIPE | Approved for use at Space Park and no more than 1 pint at any time on site. |
| 21574 | LUCAS MILHAUPT 71-150 SIL-FOS 15 BRAZING ALLOY | Approved for use at Space Park. |
| 21575 | LUCAS MILHAUPT 71-180 SIL-FOS 18 BRAZING ALLOY | Approved for use at Space Park. |
| 21576 | LUCAS MILHAUPT 71-020 SIL-FOS 2 BRAZING ALLOY | Approved for use at Space Park. |
| 21577 | LUCAS MILHAUPT 71-017 SIL-FOS 2M BRAZING ALLOY | Approved for use at Space Park. |
| 21578 | LUCAS MILHAUPT 71-050 SIL-FOS 5 BRAZING ALLOY | Approved for use at Space Park. |
| 21579 | LUCAS MILHAUPT 71-060 SIL-FOS 6 BRAZING ALLOY | Approved for use at Space Park. |
| 21580 | LUCAS MILHAUPT 71-062 HANDY FLO 6 (SIL-FOS 6M) BRAZING ALLOY | Approved for use at Space Park. |
| 21581 | BASF DEGASEAL 26 ALUMINUM GRAY SEALANT | Approved for use at Space Park. |
| 21582 | BASF DEGASEAL 26 WHITE SEALANT | Approved for use at Space Park. |
| 21597 | LUCAS MIHAUPT SILVABRITE 100 (CLEAN N BRITE - NO LEAD) ALLOY | Approved for use at Space Park. |
| 21598 | GEMINI BFR CUSTOM FILL 122-T-643 TEXTURED BEIGE AEROSOL | DENIED FOR USE AT SPACE PARK |
| 21599 | GEMINI BFR CUSTOM FILL HUNTAIR WHITE AEROSOL | DENIED FOR USE AT SPACE PARK |
| 21600 | RUST-OLEUM 249060 PAINTERS TOUCH 2X SEMI-GLOSS WHITE PSU | DENIED FOR USE AT SPACE PARK |
| 21602 | RUST-OLEUM 249843 PAINTERS TOUCH 2X SATIN BLOSSOM WHITE PSU | DENIED FOR USE AT SPACE PARK |
| 21603 | RUST-OLEUM 249844 PAINTERS TOUCH 2X SATIN CANYON BLACK PSU | DENIED FOR USE AT SPACE PARK |
| 21604 | DEPENDABLE CUTOFF II MOISTURE VAPOR BARRIER A/B 1:1 V | Approved for use at Space Park. |
| 21620 | TERRAZZO TERROXY RESIN SYSTEMS PRIMER PART A/B 2:1 V | Approved for use at Space Park. |
| 21621 | TERRAZZO ACOUSTICAL MEMBRANE PART A/B 1:1 W | Approved for use at Space Park. |
| 21622 | TERRAZZO TERROXY RESIN SYSTEMS TERRAZZO MATRIX PART A/B 5:1V | Approved for use as Space Park |
| 21623 | TERRAZZO TERROXY RESIN SYSTEMS ACRYLIC SEALER | Restricted to one container in use at a time and 2 gallons inside a building. |
| 21628 | ARMSTRONG S-485 COMMERCIAL FLOOR CLEANER DILUTED WITH WATER | Approved for use at Space Park. |
| 21629 | USG MICORE 300 MINERAL FIBER BOARD | Restricted to cutting of any material outside. |
| 21630 | HELMITIN BURKE BR-711 STAIR TREAD AND TILE ADHESIVE | Approved for use at Space Park. |
| 21631 | BURKE BR-715 EPOXY ADHESIVE PART A/B 1:1 W | Approved for use at Space Park. |
| 21633 | DIVERSEY 04168 PLAZA PLUS SEALER/FINISH | Approved for use at Space Park. |
| 21673 | CR LAURENCE CRL 33SC SILICONE SEALANT CLEAR | Approved for use at Space Park. |
| 21676 | 3M BRAND STAINLESS STEEL CLEANER AND POLISH AEROSOL | Denied per Fire |
| 21682 | HERCULES MEGALOC MULTI-PURPOSE THREAD SEALANT | Approved for use at Space Park. |
| 21686 | TRI-ART REFERENCE WHITE FINISH COAT | Approved for use at Space Park. |
| 21687 | TRI-ART REFERENCE WHITE REFLECTIVE COAT | Approved for use at Space Park. |
| 21688 | WILSONART PEG 2020 ADHESIVE FOR LAMINATE | Approved for use at Space Park. |
| 21689 | RUST-OLEUM 7578838 PRO ENAMEL FLAT BLACK AEROSOL | Restricted to one 15 ounce container used outdoors at any time. |
| 21694 | SIMPSON ETI-LV INJECTION EPOXY RESIN/HARDENER 1:1 V | Restricted use during off hours and enhanced ventilation in the work area |
| 21695 | SIKA 0429540 SIKAFLEX 429 PRIMER | Restricted to out door use only. Any other use must be reviewed on a case by case basis. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 21725 | CIM INDUSTRIES CIM 1000 COATING PREMIX/ACTIVATOR 7:1 W | Restricted to outdoor use only and no more than one gallon of each in use at any given time |
| 21726 | AQUAFIN VAPORTIGHT COAT SG3 RESIN/HARDENER A/B 100:50 W | Approved for use at Space Park. |
| 21740 | RCA RUBBER #5 SOLVENT FREE EPOXY ADHESIVE PART A/B 1:1 V | Approved for use at Space Park |
| 21771 | ITW PACIFIC POLYMERS ELASTO-GLAZE 6001 AL-HT TOPCOAT SEALER | Restricted for off hour use. |
| 21772 | ITW PACIFIC POLYMERS ELASTO-DECK 5001 NON-GASSING | Approved for off hour use outdoors |
| 21774 | ITW PACIFIC POLYMERS ELASTO-POXY PRIMER WB PART A/B 1:3.5 V | Approved for use at Space Park |
| 21827 | COATINGS RESOURCE CR-10 EPOXY FLOORING BASE/ACTIVATOR 4:1 V | Approved for use at Space Park. |
| 21847 | SERVICEMASTER GREEN FOR FLOORS | Approved for use at Space Park. |
| 21848 | SERVICEMASTER GREEN FOR DEGREASING | Approved for use at Space Park. |
| 21849 | SERVICEMASTER GREEN FOR RESTROOMS | Approved for use at Space Park. |
| 21850 | MAINTEX 1138 ULTRASTRIP HD FLOOR STRIPPER | Approved for use at Space Park |
| 21851 | SERVICEMASTER GREEN FOR GPC (GENERAL PURPOSE CLEANER) | Approved for use at Space Park. |
| 21852 | SERVICEMASTER GREEN FOR OXIDIZING CLEANER | Approved for use at Space Park. |
| 21853 | SERVICEMASTER FLOORSTAR PREMIUM 25 FINISH | Approved for use at Space Park. |
| 21912 | GLIDDEN GL3210 ULTRA-HIDE AQUACRYLIC GRIPPER PRIMER-SEALER | Approved for use at Space Park. |
| 21972 | PW GILLIBRAND INDUSTRIAL SAND | Approved if used outdoors at Space Park |
| 21975 | ASHLAND 40222 DERAKANE 510 A-40 VINYL ESTER RESIN | Approved outdoors but restricted to off-hour use indoors.. |
| 21978 | CPIC FIBERGLASS CONTINUOUS FILAMENT GLASS FIBER | Approved for use at Space Park. |
| 21992 | NISUS NIBAN GRANULAR BAIT | Approved for use at Space Park. |
| 21998 | SHERWIN GENERAL POLYMERS 4090 FASTOP 12 TC/M PART A/B 1:1 V | Approved for off hour application only with adequate ventilation. |
| 21999 | SHERWIN GENERAL POLYMERS 3460 AQUARMOR RES/HARD 1:4 V GRAY | Approved for use at Space Park |
| 22001 | STONHARD 6808X/68080 STONLUX SL AMINE/RESIN/AGGRE PLATINUM | Approved when mixing product outdoors |
| 22007 | STONHARD 50001M 10 INCH CRACK REINFORCEMENT FIBERGLASS MAT | Approved if not cutting. |
| 22024 | ARMSTRONG S-543 PREMIUM PLUS VINYL SHEET FLOORING ADHESIVE | Approved for use at Space Park |
| 22051 | PETRA XTRA-KOTE TC FLOOR COATING PART A/B 2:1 W | DO NOT EXPOSE NGC EMPLOYEES TO ANY VAPORS OR FUMES. |
| 22055 | MASTER-HALCO QUICK-ROK CEMENT | Approved if mixed outdoors. |
| 22074 | CHEMICAL STRATEGIES CSI 4466M ACETONE CMOS GRADE | Approved for use at Space Park. |
| 22100 | TARR XYLENE | Restricted to mixing in the parking lot and away from ventilation intakes. |
| 22101 | DOW VORAMER MR 1105 ISOCYANATE BINDER | Restricted to mixing in the parking lot after hours to Child Care Operations. |
| 22104 | MARCHEM MISTABOND H3168 ALIPHATIC BINDER | Restricted to mixing after hours in the child care parking lot. |
| 22108 | BURNDY BURNDY ALFLUID AND ALFLUID PLUS | Approved for use at Space Park |
| 22109 | CRC 02069 CABLE CLEAN HIGH VOLTAGE SPLICE CLEANER AEROSOL | Approved for use at Space Park. |
| 22110 | MARCHEM MISTABOND H3168/TARR XYLENE MIXTURE 13:7 V | Approved for outdoor use only. |
| 22111 | TESORO 888100008809 UNLEADED GASOLINE | Limited to 5 gallons. |
| 22113 | THOMAS & BETTS SL-5 SILICONE LUBRICANT | Approved for use at Space Park. |
| 22123 | MARCHEM MISTABOND H3608 REFINISHING ALIPHATIC BINDER | Restricted to off hour use indoors or outdoors away from ventilation intakes. |
| 22134 | QUEST RAABE 62125008745604 BEIGE TOUCH UP AEROSOL | Restricted to one 12 ounce can at any time used outdoors or offhours indoors and away from ventilation intakes. |
| 22148 | ECOBUST 25222000 ECOBUST EXPANSIVE MORTAR | Approved for use at Space Park |
| 22155 | ATS CHEMBOND RESIN/RESIN HARDENER 100:15 W | Used outdoors or indoors during off hours. |
| 22157 | ATS CHEMBOND PUTTY RESIN/HARDENER 100:15 W | Limited to off hour use only due to toxicity. |
| 22158 | TREMCO 505420805 TPA FLEECE BACKED WB SINGLE PLY ADHESIVE | RESTRICTED to one 5-gallon container during business hours. |
| 22166 | WM BARR KLEAN STRIP PAINTERS SOLVENT FOR SCAQMD | Used off hours or outdoors and away from ventilation intakes. |
| 22171 | FORBO FLOORING 1195 SUSTAIN MARMOLEUM SHEET & TILE ADHESIVE | Approved for use at Space Park |
| 22183 | SHERWIN TM2152 HOTLINE FAST DRY WB TRAFFIC PAINT WHITE | Approved for outdoor use. |
| 22184 | SHERWIN TM2226 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM GREEN | Approved for use at Space Park |
| 22185 | SHERWIN TM2224 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM BLUE | Approved for use at Space Park |
| 22186 | SHERWIN TM2222 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM RED | Approved for use at Space Park |
| 22203 | STONHARD STONDRI MVT RESIN/AMINE PART B/A 1:1 W | Approved for use at Space Park |
| 22226 | VISTA PAINT 9702 PROTEC SATIN 9700 SERIES IN ALUMINUM SATIN | Approved for use at Space Park. |
| 22229 | ALON ASPHALT (PARAMOUNT) CONVENTIONAL PAVING ASPHALT CEMENT | Restricted to out door use. |
| 22279 | CHEMICALS INC 7909 BIOCIDES AQUEOUS SOLUTION | Approved for use at Space Park. |
| 22280 | AQUA-SERV 1751 ANTISCALANT/ANTIFOULANT | Approved for use at Space Park. |
| 22281 | AQUA-SERV 4913D COOLING WATER TREATMENT | Approved for use at Space Park. |
| 22282 | AQUA-SERV 4939D COOLING WATER TREATMENT | Approved for use at Space Park. |
| 22283 | AQUA-SERV 8580 CLOSED LOOP TREATMENT | Approved for use at Space Park. |
| 22284 | AQUA-SERV 9110 CLEANING APPLICATION WATER AND COOLING SYSTEM | Approved for use at Space Park |
| 22285 | AQUA-SERV AS101 SPECIALTY CHEMICAL | Approved for use at Space Park |
| 22286 | CHEMICALS 7424 MICROBIOCIDES | Approved for use at Space Park |
| 22292 | AQUA-SERV 1080 CLEANING COMPOUND | Approved for use at Space Park. |
| 22293 | AQUA-SERV 4617LM COOLING WATER TREATMENT | Approved for use at Space Park. |
| 22294 | AQUA-SERV 4712 COOLING WATER TREATMENT | Approved for use at Space Park. |
| 22295 | AQUA-SERV 4817 ANTIFOAM | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 22296 | AQUA-SERV 4934D COOLING WATER TREATMENT | Approved for use at Space Park. |
| 22302 | MOHAWK SB00064 ENPRESS NXT FLOORING ADHESIVE | Application must be performed when when areas are unoccupied |
| 22304 | MOHAWK M950 RESILIENT FLOORING ADHESIVE | Approved for use at Space Park. |
| 22305 | MOHAWK DB00081 OPTISEAL FLOORING ADHESIVE | Approved for use at Space Park. |
| 22306 | UNISORB K-818 SHIP-SAFE V-100 GROUT RESIN/HARD 7.29:1 W | Approved for Space Park. |
| 22319 | AKZO NOBEL CADOX D-50 MEK PEROXIDE SOLUTION | Approved for use at Space Park in storage areas less than 60C. |
| 22320 | UNITED INITIATORS 185542 NOROX MEKP-925H | Approved for use at Space Park. |
| 22321 | PARTERRE FLOORING PARTERRE 449P UNIVERSAL ADHESIVE | Approved for use at Space Park. |
| 22341 | GROWTH PRODUCTS CLASSIC 18-3-6 LIQUID FERTILIZER SOLUTION | Facilities - Landscape Space Park and El Segundo |
| 22342 | SYNGENTA A6780D BANNER MAXX FUNGICIDE | Facilities - Landscape Space Park and El Segundo |
| 22343 | SYNGENTA A12333D BARRICADE 4FL HERBICIDE | Facilities - Landscape Space Park and El Segundo |
| 22344 | MONSANTO 524-534 CERTAINTY TURF HERBICIDE | Facilities - Landscape Space Park and El Segundo |
| 22345 | DOW AGROSCIENCES DIMENSION EC HERBICIDE | Facilities - Landscape Space Park and El Segundo |
| 22347 | VALENT 1694 ARENA 50 WGD INSECTICIDE | Facilities - Landscape Space Park and El Segundo |
| 22348 | TEK METALS AMMONIA SULFATE STAND GRADE 21-0-0-24S FERTILIZER | Facilities - Landscape Space Park and El Segundo |
| 22349 | FMC 1466-10-A DISMISS CA TURF HERBICIDE | Facilities - Landscape Space Park and El Segundo |
| 22350 | BASF 252437 DRIVE XLR8 HERBICIDE | Facilities - Landscape Space Park and El Segundo |
| 22351 | BAYER 06004481 MERIT 2F INSECTICIDE | Facilities - Landscape Space Park and El Segundo |
| 22352 | DOW AGROSCIENCES GALLERY 75 DRY FLOWABLE HERBICIDE | Facilities - Landscape Space Park and El Segundo |
| 22385 | SHERWIN A5W451 CONFLEX XL HIGH BUILD COAT SMOOTH EXTRA WHITE | Approved for use at Space Park. |
| 22416 | SHERWIN TM2221 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM BLACK | Approved for outdoor use only and away from ventilation intakes. |
| 22417 | SHERWIN TM2248 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM WHITE | Approved for exterior use only and away from ventilation intakes. |
| 22434 | AQUA-SERV 8385 CLOUSED LOOP TREATMENT | Approved for use at Space Park. |
| 22435 | AQUA-SERV 2302D BOILER TREATMENT | Approved for use at Space Park. |
| 22448 | UNISORB V-100 STANDARD EPOXY GROUT RESIN/HARDENER 16:1 W | Approved for use at Space Park. Approved for use in Palmdale. |
| 22457 | REAGENTS (EMSL) 8708919 ACETONE | Approved for use at Space Park |
| 22458 | REAGENTS (EMSL) 8708920 TRIACETIN | Approved for use at Space Park. |
| 22551 | SHERWIN TM2259 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM YELLOW | Use only outdoors for parking lot striping projects. |
| 22646 | KINGSCOTE 106000 BRIGHT DYES INDUSTRIAL RED LIQUID | Approved for use at Space Park |
| 22648 | KINGSCOTE 106002 BRIGHT DYES STANDARD BLUE LIQUID | Approved for use at Space Park |
| 22675 | AQUA-SERV 2740 BOILER TREATMENT | Approved for outdoor use. |
| 22676 | QUIKRETE 1585 COMMERCIAL GRADE FASTSET NON-SHRINK GROUT | Space Park Site - Restricted - MIX OUTDOORS AWAY FROM VENTILATION INTAKES |
| 22698 | BASF 81522/8000A ELASTOSPRAY ISOCYANATE 1:1 V | Use for outdoor applications with ventilation intakes covered and off hour use. |
| 22699 | ACCELLA POLY-SIL 2500 HIGH SOLIDS SILICONE | Use on outdoor roofing operations |
| 22707 | CUSTOM BUILDING CEG-LITE EPOXY GROUT RESIN/HARDENER 1:1 W | Mix product outdoors only |
| 22724 | WARREN NHF 85805 NAPA QUALITY HYDRAULIC OIL AW-46 | Approved for use at Space Park. |
| 22732 | SIKA LEVEL 125 CEMENTITIOUS SELF-LEVELING UNDERLAYMENT | Approved for use at Space Park |
| 22733 | CTS RAPID SET LEVELFLOR | Approved for use at Space Park. |
| 22752 | AQUA-SERV 3245 CONDENSATE TREATMENT | Approved for use at Space Park |
| 22763 | SPRAY-LOCK 6500 SPRAY ADHESIVE AEROSOL | Use during off hours or in areas where NG are not present. |
| 22822 | SPEARS LW-5 ONE-STEP LOW VOC CEMENT FOR LABWASTE CPVC | Approved for Space Park use |
| 22849 | PPG 407720 LN-950 LIQUID NAILS POLYURETHANE ADHESIVE | Approved for use at Space Park |
| 22851 | SODAL BOSS 310 RTV INDUSTRIAL SILICONE SEALANT | Approved for use at Space Park |
| 22877 | AMERICAN 180 FAST DRY WATERBORNE TRAFFIC MARKING PAINT WHITE | APPROVED FOR SPACE PARK OUTDOOR USE ONLY |
| 22881 | DOW CHEMICAL AQUACAR DB 20 WATER TREATMENT MICROBIOCID | Approved for use at Space Park |
| 22927 | SYGENTA A20377A ADVION ANT GEL | Approved for use at Space Park. |
| 22928 | BASF ALPINE WSG WATER SOLUBLE GRANULES | Approved for use at Space Park |
| 22929 | SYGENTA A20382A ARILON INSECTICIDE | Approved for use at Space Park |
| 22930 | CENTRAL GARDEN 100208740 ESSENTRIA G GRANULE INSECTICIDE | Approved for use at Space Park. |
| 22945 | CENTRAL GARDEN 100208730 ESSENTRIA IC3 INSECT CONCENTRATE | Approved for use at Space Park |
| 22946 | BAYER 80915004 MAXFORCE IMPACT ROACH GEL BAIT | Approved for use at Space Park. |
| 22947 | BAYER MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL | If product is used indoors it must be applied during off-hours. |
| 22948 | BAYER 79212690 MAXFORCE QUANTUM ANT BAIT | Approved for use at Space Park. |
| 22949 | SYGENTA A9795B OPTIGARD FLEX LIQUID | Approved for use at Space Park. |
| 22950 | INNOLYTICS OVOCONTROL P AND OVOCONTROL S | Approved for use at Space Park. |
| 22951 | BASF 62151 PHANTOM TERMITICIDE/INSECTICIDE | Approved for use at Space Park. |
| 22952 | FMC 1686A TALSTAR PL GRANULAR INSECTICIDE | Approved for Space Park |
| 22953 | BAYER TEMPRID SC INSECTICIDE | If product is used indoors it must be applied during off-hours. |
| 22954 | BASF PT WASP-FREEZE II AEROSOL | Approved for use at Space Park. |
| 22987 | UNIVERSAL POLYMER UPC 2700 2K-WB URETHANE BASE/HARD 3:1 V | Restricted for off hour use only |
| 22988 | PETRA POLYMERS PETRA-CRETE U SL FLOOR COAT A/B/C 1:1:1.5 V | Restricted to off working hour use only. |
| 22994 | SIMPSON RPSINJECT 101 INJECTION RESIN/WATER 1:1 V | Restricted for use ott hours only |
| 23023 | CETCO SUPER GEL-X | Mix outdoors away from ventilation intakes. |
| 23051 | FRANKLIN 71021A TITEBOND ULTIMATE MP SEALANT LIMESTONE | Approved for use at Space Park |
| 23052 | GAF MASTERS FLOW WATER-BASED ADHESIVE (WBA) AIR DUCT SEALANT | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 23053 | WESTERN COLLOID WC 720 ELASTAHYDE 720 ARC WHITE ROOF COATING | Approved for use at Space Park. |
| 23054 | GAF LEAK BUSTER MATRIX 307 PREMIUM ASPHALT PRIMER | Approved for Space Park use for outdoor locations and ensure ventilation intakes are closed. |
| 23055 | GAF MATRIX 203 PLASTIC ROOF CEMENT | Approved for Space Park use outdoors and ensure ventilation intakes are closed. |
| 23059 | HENRY 900 CONSTRUCTION AND FLASHING SEALANT | Approved for use at Space Park. |
| 23060 | TREMCO 351680 ALPHAGUARD M-PRIME 1 GAL | Approved for use at Space Park |
| 23061 | TREMCO 351675 ALPHAGUARD WB PRIMER 1 GAL | Approved for Space Park |
| 23062 | TREMCO ALPHAGUARD BIO TOP COAT PART A/B 5:1 V | Approved for use at Space Park. |
| 23063 | TREMCO ALPHAGUARD BIO BASE COAT PART A/B 5:1 V | Approved for use at Space Park. |
| 23095 | HILTI CF 116 INSULATING FOAM SEALANT AEROSOL | Restricted to outdoor use only. |
| 23100 | AQUA-SERV 1752D ANTISCALANT/ANTIFOULANT | Approved for use at Space Park. |
| 23101 | AQUA-SERV 8380 CLOSED LOOP TREATMENT | Approved for use at Space Park |
| 23121 | TOP CAST 145523 TOP CAST BLUE 75 VOC SURFACE RETARDER | Approved for use at Space Park. |
| 23135 | NU-CALGON 4133 CAL-BRITE COIL CLEANER | Approved for use at Space Park for outdoor use only |
| 23141 | INFLOW FR-07/FRT-07 RUBBERSEAL WATERPROOF PROTECTIVE COATING | Restricted offhours only |
| 23159 | CRC 02150 CABLE CLEAN RD CLEANER AEROSOL | Restricted to outdoor use and away from ventilation intakes. |
| 23189 | STONHARD PRIMER ATK EPOXY RESIN/CURING AGENT 1:1 V | Approved for use at Space Park |
| 23190 | STONHARD STONKOTE AT5 RESIN/CURE/FIBERS/ANTISTAT 1:1:1:1 W | Approved for use at Space Park. |
| 23194 | ARMSTRONG S-202 STATIC DISSIPATIVE TILE ADHESIVE | Approved for use at Space Park. |
| 23195 | TRAXX TRAXXSHIELD SOLVENT FREE PRIMER | Approved for use at Space Park. |
| 23217 | TREMCO POWERPLY ENDURE BIO ADHESIVE BASE/CURE A/B 4:1 V | Approved for use at Space Park |
| 23241 | BASF AUTOFROTH 92-B-0707/9300A RESIN/ISOCYANATE 1:1 V PSU | Restricted for outdoor use. |
| 23242 | TESORO CARB DIESEL LOW SULFUR (LSD) ULTRA LOW SULFUR (ULSD) | Approved for use at Space Park. |
| 23259 | TREMCO SOLARGARD 6083 BASE COAT | Approved for Use at Space Park |
| 23266 | CHEMICALS 4492D COOLING WATER TREATMENT | Approved for use at Space Park. |
| 23268 | CHEMICALS 4232 COOLING WATER TREATMENT | Approved for use at Space Park. |
| 23269 | UNIVAR SULFURIC ACID WITH MORE THAN 51% | Approved for use at Space Park |
| 23270 | CHEMICALS 7424 MICROBIOCIDIC (USE CRP 22286) | Approved for use at Space Park |
| 23277 | SIKA MB EPOXY MOISTURE BARRIER PART A/B 1:1 V | Approved for use at Space Park |
| 23278 | SIKA LEVEL 425 SELF-LEVELING UNDERLAYMENT | Mix outdoors only. |
| 23298 | ROPPE EXCELSIOR ASD-800 ACRYLIC WET SET ESD ADHESIVE | Approved for use at Space Park. |
| 23301 | HENKEL LOCTITE ECCOBOND UV 3000 ADHESIVE | Approved for use at Space Park. |
| 23302 | HENKEL LOCTITE 648 RETAINING COMPOUND | Approved for use at Space Park. |
| 23344 | BLUE BOX AIR BLUE BOX BIOSURFACTANT CLEANER | Approved for use at Space Park. |
| 23356 | CCI CHEMICAL CWT-BOILOUT | Approved for use at Space Park |
| 23359 | MAXXON COMMERCIAL TOPPING FLOOR UNDERLAYMENT | Restricted to outdoor mixing only. |
| 23363 | TREMCO DYMERIC 240FC SEALANT PART A/B | Approved for use as Space Park. |
| 23364 | LATICRETE HYDRO BAN WATERPROOF MEMBRANE | Approved for use at Space Park |
| 23387 | MAXXON FLOOR PRIMER POWDER CONCENTRATE MIXED WITH WATER | Approved for use at Space Park. |
| 23396 | SIKA LEVEL 02 EZ PRIMER | Approved for use at Space Park. |
| 23404 | HILTI FS-ONE MAX HI PERFORMANCE INTUMESCENT FIRESTOP SEALANT | Approved for use at Space Park. |
| 23408 | SWIFT RESPONSE FLEX SEAL LIQUID RUBBER SEALANT | Approved for use at Space Park |
| 23417 | TROPICAL 951 ETERNAPATCH WHITE ELASTOMERIC ROOF PATCH | Approved for use at Space Park. |
| 23514 | AERVOE COPPER ANTI-SEIZE LUBRICANT (BRUSH TOP) | Restricted for outdoor use or in the chiller room. |
| 23531 | DESIGN POLYMERICS DP 2510 BLACK W/B PROTECTIVE COATING | Apply by brush and allow to dry for at least 4 hours in the duct prior to occupancy of the affected area. |
| 23545 | TREMCO 370110805 ECOLASTIC COATING | Product can only be applied with a mop not sprayed on the roof due to toxicity of product. |
| 23548 | JC WHITLAM POWER SEAL PLUS THREAD SEALING COMPOUND WITH PTFE | Approved for use at Space Park |
| 23553 | CANFIELD 100% WATERSAFE LEAD FREE SOLID WIRE SOLDER ALLOY | Approved for use at Space Park. |
| 23557 | STANLEY DEWALT CHALK | Use with adequate ventilation |
| 23561 | TREMCO 362300304 LOW RISE ADHESIVE PART A/B 1:1 V | Approved for outdoor applications only. |
| 23599 | LATICRETE SPECTRALOCK PRO PREMIUM GROUT PART A/B/C 1:1:1 W | Approved for use at Space Park. |
| 23600 | CUSTOM BUILDING PRISM COLOR CEMENT GROUT (ALL COLORS) | Approved for use at Space Park |
| 23602 | LATICRETE PERMACOLOR SELECT CEMENT GROUT | Approved for use at Space Park |
| 23618 | TREMCO TREMFASH (TF) SEALANT TAPE | Approved for use for Space Park. |
| 23621 | ROYAL COATINGS COMPU RELEASE ADHESIVE | Approved for use at Space Park |
| 23623 | TREMCO TREMSEAL PRO POLYURETHANE SEALANT | Restricted to outdoor use only |
| 23632 | GREENFIELD PHARMCO (PRO-SAFE) 70% ISOPROPYL ALCOHOL | Approved for use at Space Park |
| 23646 | TARKETT JOHNSONITE 905 RELEASABLE ADHESIVE | Approved for use at Space Park |
| 23647 | TARKETT JOHNSONITE 930 EPOXY CAULKING PART A/B 1:1 V | Approved for use at Space Park |
| 23648 | BELL LABORATORIES CONTRAC ALL-WEATHER BLOX | Approved for use at Space Park. |
| 23649 | TARKETT JOHNSONITE 960 COVE BASE ADHESIVE | Approved for use at Space Park |
| 23650 | TARKETT JOHNSONITE 975 URETHANE ADHESIVE PART A/B 1:1 V | Approved for use at Space Park |
| 23653 | XYPEX CONCENTRATE DS-1 CEMENTITIOUS CONCRETE WATERPROOFING | Approved for use at Space Park |
| 23654 | XYPEX CONCENTRATE DS-2 CEMENTITIOUS CONCRETE WATERPROOFING | Approved for use at Space Park |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|---|--|
| 23656 | INNOSTAR KINGSPAN (NS) NON-SKINNING BUTYL SEALANT | Approved for use at Space Park |
| 23668 | BASF MASTERTOP GP 500 EPOXY COATING CLEAR A/B 2:1 V | Off hour use only if building occupied. |
| 23673 | BASF MASTERTOP TC 504 PIGMENTED EPOXY COATING A/B 2:1 V | Use away from ventilation intakes. |
| 23771 | CUSTOM BUILDING PROLITE PREMIUM LARGE FORMAT TILE MORTAR | Approved for use at Space Park |
| 23832 | TREMCO SOLARGARD HY-BUILD SCC MEDIUM BRONZE COATING | Approved for use at Space Park. |
| 23833 | TREMCO SOLARGARD RUST PRIMER WB COATING | Approved for use at Space Park. |
| 23847 | TENNANT ECO-CRETE SL FLOORING SYSTEM PART A/B/C 1:1:1 W | Restricted to mixing outdoors and applied during off-hours. |
| 23878 | SHERWIN 842B81 PRO INDUSTRIAL WB ACRYLIC DRYFALL FLAT BLACK | .Approved for use at Space Park. |
| 23927 | US MIX HUB PREMIUM GOLD FORM RELEASE | Approved for use at Space Park. |
| 23928 | US MIX HUB ALL RESIN CLEAR CURE | Approved for use at Space Park. |
| 23941 | XYPEX PATCH N PLUG | Mix outdoors away from ventilation intakes and reactive with strong acids. |
| 23942 | BASF MASTERTOP VB 240FS PART A/B 1:1 V CLEAR | Approved for use at Space Park. |
| 23945 | KEY 502 EPOXY PRIMER RESIN/HARDENER A/B 2:1 V | Approved for use at Space Park. |
| 23946 | KEY 108 EPOXY TERRAZZO MATRIX RESIN/HARDENER A/B 5:1 V | Approved for use at Space Park. |
| 23947 | KEY 580 FLEXIBLE EPOXY COATING RESIN/HARDENER A/B 1:1 V | Approved for use at Space Park. |
| 23948 | US MINERAL CAFCO 300 SPRAY-APPLIED FIRE RESISTIVE MATERIAL | Approved for use at Space Park. |
| 23954 | SHERWIN B20T2654 PROMAR 200 ZERO VOC LATEX EG DEEP BASE | Approved for use at Space Park |
| 23955 | LEGEND PROCHEM E827 OLEFIN PRE-CLEAN/WATER 0.05:1 V | Approved for use at Space Park. |
| 23956 | US MINERAL ISOLATEK QWIK-SET ACECELERATOR FOR SFRM | Approved for use at Space Park. |
| 23959 | PPG LC-130 LIQUID NAILS SUPER CAULK WINDOW AND DOOR CLEAR | Use with adequate ventilation. |
| 24008 | INTERNATIONAL CHEMTEX B-847 WATER TREATMENT ADDITIVE | Approve for use at Space Park. |
| 24014 | SHERWIN WILLIAMS B71Y1 DTM WASH PRIMER YELLOW/GREEN | Approved for use at Space Park. |
| 24015 | MIRACLE 511 IMPREGNATOR PENETRATING SEALER | Denied for use at Space Park |
| 24098 | CHEM PRO CPL4078 LIQUID CHLORINE 12% | Approved for use at Space Park |
| 24101 | BASF MASTERTOP TC 683 FS CLEAR TOPCOAT A/B 1:1 V | Denied for use at Space Park |
| 24102 | BASF MASTERTOP TC 683 FS TINT TOPCOAT A/B 1:1 V | Denied for use at Space Park. |
| 24103 | SHERWIN B58WW491/R7K15 MACROPOXY 646/REDUCER 1:1 V | Denied for use at Space Park |
| 24111 | BASF MASTERTOP TC 683 LO FLOORING TOPCOAT A/B 1:1 V | Application restricted to off hour use only. |
| 24114 | CARBOLINE 0400S1NL SURFACE CLEANER 3 | Approved for use at Space Park. |
| 24115 | CARBOLINE 8116S1NL GALOSEAL WB INDUSTRIAL COATING | Approved for use at Space Park. |
| 24123 | SHERWIN B58T624/B58V620 MACROPOXY 646-100 FAST CURE 1:1 V | Restricted for outdoor use only. |
| 24129 | SIKA SIKASIL GP HI TEMP RED SEALANT | Approved for use at Space Park. |
| 24163 | FIBERLOCK ABC ASBESTOS BINDING COMPOUND (ALL COLORS) | Approved for use at Space Park |
| 24168 | ARAMSCO CHEMSAFE RAM-TACK SPRAY ADHESIVE AEROSOL | Restricted to 1 container inside the building. |
| 24169 | ECOBOND LEAD DEFENDER PRO | Approved for Space Park |
| 24181 | RUST-OLEUM ME326 KRUD KUTTER METAL CLEAN AND ETCH | Approved for Space Park. |
| 24214 | AERVOE 1380 ALL PURPOSE MARKING PAINT BLACK AEROSOL | Denied for use at Space Park |
| 24215 | AERVOE 1383 ALL PURPOSE MARKING PAINT BLUE AEROSOL | Denied for use at Space Park |
| 24217 | AERVOE 200 CLEAR MARKING COAT AEROSOL | Denied for use at Space Park |
| 24218 | WD-40 SPECIALIST DEGREASER INDUSTRIAL STRENGTH AEROSOL | Approved for Use at Space Park |
| 24260 | CUSTOM BUILDING AQUA MIX SEALER AND COATING REMOVER | Restricted for use per Environmental |
| 24272 | AQUA-SERV 5425N CLEANER | Approve for use at Space Park. |
| 24273 | AQUA-SERV 4492D COOLING WATER TREATMENT | Approved for use at Space Park |
| 24274 | AQUA-SERV 8413D CLOSED LOOP TREATMENT | Approved for outdoor use only and away from ventilation intakes. |
| 24276 | CARGILL DIAMOND CRYSTAL SOLAR NATURALS SALT CRYSTALS | Approved for use at Space Park |
| 24277 | AQUA-SERV 8548 CLOSED LOOP TREATMENT | Approved for outdoor use. |
| 24278 | AQUA-SERV ACID 750 SULFURIC ACID | Approved for outdoor use. |
| 24286 | SYNGENTA ADVION COCKROACH GEL BAIT | If product is used indoors it must be applied during off-hours. |
| 24288 | MCLAUGHLIN NYGUARD IGR CONCENTRATE | If product is used indoors it must be applied during off-hours. |
| 24297 | DUNN EDWARDS SWLL-10 SPARTAWALL FLAT PAINT | Approved for use at Space Park. |
| 24301 | BASF PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE | If product is used indoors it must be applied during off-hours. |
| 24317 | STONHARD STONLUX ESD RESIN/AMINE/AGGREGATE 1:1:1 W | Approved for use at Space Park. |
| 24325 | KOST USA ACHIEVAL FRH 200 FIRE RESISTANT HYDRAULIC FLUID | Approved for use at Space Park. |
| 24348 | SPECHEM SC MULTIPURPOSE GROUT | Restricted to mixing outdoors; PD- HBA Inc. |
| 24374 | JOHNSENS 5594 JACK OIL | Approved for use at Space Park. |
| 24375 | KLUBER KLUBERALFA GR Y VAC 3 LUBRICANT | Approved for use at Space Park. |
| 24376 | OMNI WATERPROOF GREEN GREASE NO 2 | Approved for use at Space Park. |
| 24377 | PROCTER AND GAMBLE ULTRA DAWN ORIGINAL | Approved for use at Space Park. |
| 24378 | WACKER 60003071 SILICONE PASTE P | Approved for use at Space Park. |
| 24384 | SIMIX SMX 2200-5 MULTI-SURFACE KITCHEN DEGREASER | Approved for Space Park/Palmdale - ensure eye wash and shower in area of use |
| 24410 | COMSTAR CI-POE-A/C-32 SYNTHETIC POLYOL ESTER LUBRICANT OIL | Approved for use at Space Park. |
| 24435 | SWIFT RESPONSE FLEX SEAL CLEAR SPRAY AEROSOL | Space Park Site - Ensure adequate ventilation and off-hour use only |
| 24438 | SHERWIN B71S200 BOND-PLEX WATER BASED COATING ALUMINUM | Approved for use at Space Park. |
| 24441 | CARDINAL CHLOROPICRIN WARNING AGENT INSECTICIDE | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|--|
| 24486 | HILTI CP 620 FIRESTOP FOAM A/B 2:1 V | Approved for use at Space Park |
| 24497 | HILTI CF-AS CJP ALL SEASON FIREBLOCK FOAM AEROSOL | Denied for use at Space Park |
| 24498 | 3M FIRE BARRIER RATED FOAM FIP 1-STEP PART A/B 1:1 V | Approved for Use at Space Park |
| 24545 | SIKA LEVEL SKIMCOAT FAST SETTING CEMENT BASED COMPOUND | Mix outdoors away from ventilation intakes. |
| 24567 | EARTHSafe PURTABS DISINFECTANT TABLETS | Approved for use at Space Park and Palmdale |
| 24581 | CLOROX PLUS TILEX MOLD AND MILDEW REMOVER | Approved for Space Park Use |
| 24595 | MAINTEX 1462 RETALIATE DISINFECTANT CLEANER | Approved for Space Park use |
| 24814 | SIKA SIKATOP 123 PLUS NON-SAG MORTAR PART A/B 1:1 V | Approved for outdoor use only. |
| 24815 | SHERWIN A5W651 SHERLASTIC ELASTOMERIC MASONRY COATING WHITE | Approved for use at Space Park |
| 24825 | ENVIRO-ONE ENVIRO-ONE MULTI-PURPOSE CLEANER | Approved for use at Space Park. |
| 24826 | STATE INDUSTRIAL DEFENDER II METAL PRIMER | Approved for Space Park use |
| 24834 | NU-CALGON PENETRATE HD LUBRICANT AEROSOL | Approved for use at Space Park with sufficient ventilation. |
| 24849 | CHEVRON 230002 OPEN GEAR GREASE | Approved for use at Space Park |
| 24852 | AMSOIL HEAVY DUTY SYNTHETIC DIESEL OIL | Approved for Space Park. |
| 24854 | EXXON MOBIL BOBCAT HYDRAULIC OIL 15 SPECIAL | Approved for use at Space Park. |
| 24861 | SHERWIN B80W501/B80V500 SHER-LOXANE 800 A/B 4:1 V EXT WHITE | Approved for Space Park use |
| 24866 | ACE CHEMICAL 9380 JUSTEQ07 MICROBIOCID | Approved for Space Park |
| 24876 | TENNANT ECO-MVR 100 MOISTURE VAPOR REDUCER COATING 2.1:1 V | Approved for use at Space Park. |
| 24877 | TENNANT ECO-FLEX FLEXIBLE EPOXY PRIMER COAT PART A/B 1:1 V | Approved for use at Space Park. |
| 24878 | TENNANT ECO-TCP THICK COAT POLYASPARTIC TOPCOAT A/B 1.5:1 V | Approved for use at Space Park |
| 24892 | RUST-OLEUM V2117838 GLOSS BRIGHT GALVINIZNG COMPOUND AEROSOL | Space Park - approved for outdoor use only. |
| 24899 | HENKEL LOCTITE TITEFOAM | Restricted to one can use at a time with additional local exhaust ventilation. Off-hour use only |
| 24901 | RUST-OLEUM 7776830 FLAT BLACK AEROSOL TOPCOAT | Restricted to off-hour use only. |
| 24902 | IDEALSEAL MS600 INSTANT GRAB ADHESIVE SEALANT | Approved for use at Space Park. |
| 24903 | FRANKLIN 4319B TITEBOND ADVANCED POLYMER PANEL ADHESIVE | Approved for use at Space Park. |
| 24909 | MICROBIAL RESTORATION F.O.G. CONCENTRATE | Approved for use at Space Park. |
| 24910 | MICROBIAL RESTORATION SURFACE | Approved for use at Space Park. |
| 24912 | MICROBIAL OVERTILE & OIL SEALER/PRIMER PART A/B/C 1:1:1 W | Denied for use at Space Park |
| 24936 | CIM INDUSTRIES 61TN EPOXY PRIMER RESIN/HARDENER 1:1 V | Restricted to outdoor use only. |
| 25011 | ROPPE EXCELSIOR USD-810 URETHANE WET SET ESD ADHESIVE 1:1 V | Approved for use at Space Park and Palmdale |
| 25068 | TREMCO 470070/470060 PUMA PRIMER/INITATOR 1:1 V | Approved for Space Park Use |
| 25069 | TREMCO 470373 PUMA BC R BASE COAT ROLLER GRADE | Ensure adequate ventilation in the area and exhausted outdoors. |
| 25070 | TREMCO 470718 PUMA TC TOP COAT GRAY | Approved for Space Park use |
| 25071 | TREMCO 470080 PUMA CLEANER | Use in outdoor locations only and seal ventilation intakes. |
| 25072 | TREMCO 965878C323 DYMONIC 100 ANODIZED ALUMINUM SEALANT | Use in outdoor locations only away from ventilation intakes. Seal intakes. |
| 25095 | TREMCO VULKEM 950 NF BEIGE TOPCOAT/CATALYST 3.25:0.95 V | Restricted to outdoor use only and away from ventilation intakes |
| 25096 | TREMCO VULKEM 350 NF R COATING | Restricted to outdoor use only and away from ventilation intakes. |
| 25122 | TREMCO 876450309 TREMSEAL PRO WHITE SEALANT | Restricted to outdoor use only and away from ventilation intakes. |
| 25134 | TREMCO TREMPRIME VB PRIMER PART A/B 2:1 V | Approved for use at Space Park. |
| 25160 | CARBOLINE CARBOGUARD 1340 WB PRIMER PART A/B 2:1 V | Space Park - Use in outdoor locations only. |
| 25161 | CARBOLINE CARBOSEAL 985 FLOOR COATING PART A/B 1:1 V | Space Park - Restricted to outdoor use only. |
| 25163 | CARBOLINE CARBOTHANE 134 MC PART A/B 4:1 V | Restricted to outdoor use only or off-hours use with ventilation. |
| 25164 | CARBOLINE NON-SKID FILLER NO 1 | Approved for use at Space Park. |
| 25215 | CLOROX DISINFECTING BLEACH 2 | Approved for use at Space Park |
| 25259 | DIAMONDSTONE DIAMONDSLURRY ESD TOPCOAT A/B 1:1 V | Approve for use at Space Park |
| 25273 | DIAMONDSTONE DIAMOND-VRS PRIMER CLEAR A/B 1:1 V | Approved for use at Space Park. |
| 25274 | DIAMONDSTONE DIAMOND-EPRIME EPOXY PRIMER A/B 1:1 V | Approved for use at Space Park. |
| 25275 | DIAMONDSTONE DIAMOND-HD CLEAR MORTAR PART A/B 1:1 V | Restricted for use to off hours. |
| 25276 | DIAMONDSTONE DIAMOND-HD TOPCOAT PART A/B 1:1 V | Approved for use at Space Park. |
| 25277 | DIAMONDSTONE DIAMOND-VJF SEALANT PART A/B 1:1 V | Approved for use at Space Park |
| 25291 | MAINTEX 1271 FOUNDATION CONCRETE SEALER | Approved for use at Space Park. |
| 25294 | ARIZONA POLYMER APF EPOXY 400 RESIN SYSTEM PART A/B 2:1 V | Approved for use at Space Park. |
| 25452 | TYCO ANSUL ABC MULTI-PURPOSE DRY CHEMICAL AGENT | Approved for use at Space Park |
| 25687 | DOW GREAT STUFF WINDOW AND DOOR INSULATING FOAM SEALANT | Approved for use at Space Park. |
| 25689 | NEWSTAR EVERSTRONG E580 CONTACT ADHESIVE SPRAY CANISTER | Approved for use at Space Park |
| 25724 | WESTPAC READY TEX (READY MIX TEXTURE) | Approved for use at Space Park. |
| 25725 | HARRIS SAFETY SILV 34T CW FLUX CORED SILVER BRAZING ALLOY | Approved for use at Space Park. |
| 25726 | WESTPAC CEILING TEXTURES (CONTRACTOR) | Approved for use at Space Park. |
| 25727 | WESTPAC PREP COAT | Approved for use at Space Park. |
| 25728 | WESTPAC SMOOTH COAT | Approved for use at Space Park. |
| 25729 | WESTPAC FAST SET COMPOUNDS | Approved for use at Space Park. |
| 25750 | GAF UNITED CLEANER CONCENTRATE/WATER DILUTED 1:10 V | Approved for use at Space Park. |
| 25753 | GAF UNITED COATINGS ROOF MATE BASE COAT | Approved for use at Space Park |
| 25754 | GAF UNITED COATINGS ROOF MATE TOP COAT | Approved for use at Space Park |
| 25755 | GAF UNITED COATINGS SP PRIMER | Approved for use at Space Park. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------|--|---|
| 25756 | TENSORGRIP L20 LOW VOC CONTACT ADHESIVE (CANISTER) | Restricted to one time use only. Use will be reviewed on a case by case basis. |
| 25802 | SAKRETE 65200016/65200007 MAXIMIZER CONCRETE MIX | Approved for use at Space Park |
| 25806 | SHERWIN B30W12651 PROMAR 200 ZERO VOC INT LATEX FLAT WHITE | approved for use at Space Park. |
| 25815 | OWENS CORNING OCRA00020 TRULO ASPHALT | Approved for use at Space Park |
| 25816 | SIKA SARNACOL AD BOARD ADHESIVE PART A/B 1:1 W | SPACE PARK - RESTRICTED TO OUTDOOR USE ONLY AND AWAY FROM VENTILATION INTAKES |
| 25825 | TREMCO 36APPSM601 POWERPLY APP FR 1 SQ ROLL | Approved for use at Space Park. |
| 25826 | TREMCO SOLARGARD 6083 FINISH COAT | Approved for Use at Space Park |
| 25827 | TREMCO SOLARGARD ACRYLIC SEALER | Approved for use at Space Park |
| 25828 | TREMCO TREMLASTIC S COATING | Approved for use at Space Park. |
| 25861 | S3 SHAW 4151 UNIVERSAL PRESSURE SENSITIVE ADHESIVE | Approved for use at Space Park. |
| 25862 | SIKA SARNACOL 2163 BOARD ADHESIVE PART 1/2 1:1 V | Restricted to for outdoor use only |
| 25863 | SIKA SIKALASTIC EP PRIMER RAPID PART A/B 1.7:1 V | Approved for use at Space Park |
| 25864 | SIKA SIKALASTIC-641 LO-VOC POLYURETHANE RESIN | Restricted to outdoor use only. |
| 25884 | INTERPLASTIC CIPP ISO POLYESTER RESIN | Approved for use at Space Park. |
| 25887 | SIKA SIKALASTIC-646 LO-VOC POLYURETHANE RESIN | Approved for use at Space Park. |
| 25891 | HAMILTIN EXCELSIOR WB-600 WALL BASE ADHESIVE | Approved for use at Space Park. |
| 25897 | CRAWFORD CVSP VINYL SPACKLING PASTE | Approved for use at Space Park |
| 25912 | SHERWIN LX11W51 LOXON XP MASONRY COATING EXTRA WHITE | Approved for use at Space Park |
| 25931 | CHEVRON DIESEL FUEL NO 1 | Approved for use at Space Park. |
| 25932 | CHEVRON CLARITY HYDRAULIC OIL AW 32 46 68 100 | Approved for use at Space Park. |
| 25933 | CRC 05089 BRAKLEEN BRAKE PARTS CLEANER (CHLORINATED) AEROSOL | Restricted to well ventiated areas. |
| 25934 | KB SLURRYPRO CDP FLUID ADDITIVE | Approved for use at Space Park. |
| 25935 | GORILLA GOLD PVC GLUE SOLVENT CEMENT FOR PVC/CPVC MATERIALS | Approved for use at Space Park. |
| 25941 | RAINGUARD RAINGUARDPRO COOL COAT THERMAL COATING | Approved for use at Space Park. |
| 25963 | TENNANT 60618 MEDIUM GRAY COLORANT | Approved for use at Space Park. |
| 25965 | SHERWIN B66A1320 PRO-CRYL UNIVERSAL PRIMER MEDIUM GRAY | Approved for use at Space Park |
| 25974 | OMNIPRO CR403 FIRE POWER HARD SURFACE CLEANER | Approved for Space Park Site use |
| 25998 | BLUE WATER INDUSTRIES HOT MIX ASPHALT | Approved for use at Space Park. |
| 26289 | SHERWIN B51W620 PREPRITE PROBLOCK INT/EXT PRIMER WHITE | Approved for use at Space Park. |
| 26292 | WYO-BEN ENVIROPLUG 8 BACKFILL MATERIAL | Restricted to mixing outdoors or if indoors saturate solids with water |
| 26422 | SHERWIN B80W551/B80V500 SHER-LOXANE 800 A/B 4:1 V SG EXT WHT | Restricted to outdoor use only. |
| 26445 | PPG AMERLOCK 2/AMERSHIELD VOC CUR/RES 1:1 GRAY RAL 7032 | Recommend as touch up paint only by brush application |
| 26450 | RUST-OLEUM 365001/365005 SEAL-KRETE CLEAR SEAL | Approved for use at Space Park. |
| 26472 | CHEMTRONICS OPTICPREP PRESATURATED WIPE 55NG20 | Approved for use at Space Park |
| 26473 | FIBERLOCK SERPIMASTIC 2418 TROWELABLE/2419 SPRAYABLE COATING | Restricted to use under negative pressure containment. |
| 26484 | ELGEN AE77 SPRAY ADHESIVE | Denied as it contains up to 70% Methylene Chloride |
| 26486 | ELGEN DUCT SEALER | Approved for use at Space Park. |
| 26487 | DURO DYNE 5164 CCASA-WFTC ADHESIVE WEB FAST TACK AEROSOL | Restricted due to flammability - limit of one case of 12 cans on site at a time |
| 26502 | STATICWORX STATBOND PRESSURE SENSITIVE ADHESIVE | Approved for use at Space Park. |
| 26512 | CARBOLINE CARBOGUARD 1340 A/B/THINNER 76 1:1:0.2 V | Approved for use at Space Park. |
| 26529 | MAKINO SHELL AVANIA EP GREASE | Approved for use at Space Park |
| 26531 | CARBOLINE 0576S1NL THINNER 76 | Approved for use at Space Park. |
| 26533 | CARBOLINE 0564S1NL THINNER 236 E | Approved for use at Space Park. |
| 26598 | MAINTEX 2601585 CREME CLEANSER | Approved for use at Space Park |
| 26680 | DUR-A-FLEX POLY-CRETE COLOR-FAST RESIN/HARDENER/AGGR 1:1:1 W | REstricted to mixing outdoors and away from ventilation intakes |
| 26683 | DUR-A-FLEX POLY-CRETE SLB RESIN/HARDENER/AGGR 1:1:1 W | Restricted to mixing outdoors and away from ventilation intakes |
| 26708 | SHERWIN B53T2254 PRO INDUSTRIAL WB URETHANE L-S BASE | Approved for use at Space Park. |
| 26709 | SHERWIN LX02W50 LOXON CONCRETE AND MASONRY PRIMER/SEALER | Approved for use at Space Park. |
| 26713 | WF TAYLOR LOKWORX+ CARPET TILE ADHESIVE | Approved for use at Space Park. |
| 26716 | UZIN UTZ NA NC886 PREMIUM SKIM AND REPAIR COMPOUND | restricted to mixing outdoors away from ventilation intakes. |
| 26717 | UZIN UTZ NA NC888 PREMIUM PLUS TURBO PATCHING COMPOUND | restricted to mixing outdoors away from ventilation intakes. |
| 26730 | VERSATILE PREMIUM PRESSURE SENSITIVE ADHESIVE FOR CARPET | Approved for use at Space Park |
| 26731 | PINNACLE PREMIUM TRANSITIONAL PRESSURE SENSITIVE ADHESIVE | Approved for use at Space Park |
| 26732 | STEADFAST CROSS LINK VCT ADHESIVE | Approved for use at Space Park. |
| 26733 | SHAW 5100 CARPET TILE ADHESIVE | Approved for use at Space Park |
| 26739 | WF TAYLOR LOKWORX RESILIENT ADHESIVE | Approved for use at Space Park |
| 26743 | PAREXUSA LAHABRA EXTERIOR STUCCO COAT | Restricted to mixing outside and away from ventilation intakes. |
| 26744 | BASF ACRYL 60 WATER-BASED ACRYLIC BONDING AND MODIFYING MIX | Approved for use at Space Park |
| 26794 | BLUE DIAMOND MATERIALS ASPHALT PAVING MIXES | Approved for use at Space Park. |
| 26796 | WELDCOTE METALS TIN AND LEAD SOLID SOLDER | Restricted to outdoor use only. |
| 26805 | STONHARD STONCLAD TEXTURE 2 | Outdoor use only. |
| 26823 | STONHARD STONCHEM 01811 THIXATROPE | Approved for use at Space Park. |
| 26825 | STONHARD STONCHEM 57802 700/800 MORTAR COAT PART C | Restricted to mixing outdoors. |

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/24/2023

| CRP# | MANUFACTURER AND PRODUCT NAME | STATUS AND RESTRICTIONS AND/OR REQUIREMENTS |
|-------------|--|--|
| 26826 | STONHARD 52104 STONCHEM TOPCOAT AMINE/RESIN 1:1 V | Use indoors with adequate ventilation. |
| 26829 | STONHARD STONCHEM 52268 A/B 500 SERIES 1:1 V | Use indoors with adequate ventilations |
| 26837 | CCI CHEMICAL CCI-6483 | Approved for use at Space Park. |
| 26839 | INTERPLASTIC COREZYN CORVE8401 VINYL ESTER RESIN | Approved for use at Space Park. |
| 26840 | LILLY-RAM PIGMENTED LOW VOC GELCOAT | Approved for use at Space Park. |
| 26848 | OWENS CORNING CONT FILAMENT GLASS FIBER: ROVINGS DRY STRANDS | Approved for use at Space Park. |
| 26851 | WEST PENETONE WEDAK CLEANER | Approved for use at Space Park. |
| 26853 | CARBOLINE CARBOXANE 2100 FC PART A/B 4:1 | Restricted to use during off hours only |